

ALP Soil ID	County	State/P rov	Collection Date	Soil Series	USDA Taxinomic Soil Classification
SRS-1310	Arcola	SK	7/22/2011	Chernozem	Chernozem
SRS-1309	San Juan	NM	1/16/2013	Shiprock fine sandy loam, 2 to 5 percent slopes	Coarse-loamy, mixed, superactive, mesic Typic Haplargids
SRS-1308	Limestone	AL	4/11/2012	Decatur silty clay loam eroded rolling phase	Fine, kaolinitic, thermic Rhodic Paleudults
SRS-1307	Salem	NJ	7/21/2010	Mattapex silt loam, 2 to 5 percent slopes	Fine-silty, mixed, active, mesic Aquic Hapludults
SRS-1306	Pulaski	IN	6/21/2012	TmaAN—Toto muck, drained, 0 to 1 percent slopes	Coprogenous, euic, mesic Limnic Haplosaprists
SRS-1305	CLD	WA	4/13/2011	Ritzville silt loam	Coarse-silty, mixed, superactive, mesic Calcic Haploxerolls
SRS-1304	JWI	IA	11/16/2012	Canisteo silty clay loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, calcareous, mesic Typic Endoaquolls
SRS-1303	SUN	RI	7/29/2010	Paxton very stony fine sandy loam	Coarse-loamy, mixed, active, mesic Oxyaquic Dystrudepts
SRS-1302	FER-1	MI	6/22/2012	Elmdale fine sandy loam, 2 to 6 percent slopes	Coarse-loamy, mixed, semiactive, mesic Oxyaquic Hapludalfs
SRS-1301	NIH	FL	4/9/2012	Tavares sand, 0 to 5 percent slopes	Hyperthermic, uncoated Typic Quartzipsamments
SRS-1215	Big Timber	MT	10/10/2010	Farnuf Loam	Fine-loamy, mixed, superactive, frigid Typic Argiustolls
SRS-1214	Sarpy	NE	11/23/2011	Contrary-Monona-Ida complex, 6 to 17 percent slopes	Fine-silty, mixed, superactive, mesic Typic Hapludolls
SRS-1213	Fresno	CA	11/16/2009	Blend	Coarse-loamy, mixed, active, thermic Typic Haploxeralfs
SRS-1212	Yahzoo	MS	4/12/2012	Dundee Silt Loam 0-2% slopes	Fine-silty, mixed, active, thermic Typic Endoaqualfs
SRS-1211	Erie	PA	6/25/2012	Mardin silt loam, 3 to 8 percent slopes	Coarse-loamy, mixed, active, mesic Typic Fragiudepts
SRS-1210	Benton	WA	4/15/2011	Quincy loamy fine sand	Mixed, mesic Xeric Torripsamments
SRS-1209	Boone	IA	9/1/2011	Hayden loam, 2 to 5 percent slopes	Fine-loamy, mixed, superactive, mesic Glossic Hapludalfs
SRS-1208	Acadia	LA	4/13/2012	Crowley silt loam, 0 to 1 percent slopes	Fine, smectitic, thermic Typic Albaqualfs
SRS-1207	Rockingham	NH	7/28/2010	Deerfield fine sandy loam, 3 to 8 percent slopes	Mixed, mesic Aquic Udipsamments
SRS-1206	Jasper	IN	11/10/2010	Chelsea sand, 2 to 6 percent slopes	Mixed, mesic Lamellic Udipsamments
SRS-1205	Cromer	MB	7/21/2011	Chernozem	Chernozem
SRS-1204	Chesterfield	VA	6/20/2009	Appling- Spotsylvania sandy loams, 2 to 6 percent slopes	Fine, kaolinitic, thermic Typic Kanhapludults
SRS-1203	Story City	IA	10/20/2010	Nicollet loam, 1 to 3 percent slopes	Fine-loamy, mixed, superactive, mesic Aquic Hapludolls
SRS-1202	Tully	NY	6/20/2010	Palmyra gravelly loam	Fine-loamy over sandy or sandy-skeletal, mixed, active, mesic Glossic Hapludalfs
SRS-1201	Winnemeca	NV	10/10/2011	Batan-Goldrun-Bubus complex, 0 to 30 percent slopes	Fine-silty, mixed, superactive, calcareous, mesic Duric Torriorthents
SRS-1115	Plymouth	UT	4/1/2011	Hansel silt loam, 1 to 6 percent slopes	Fine-silty, mixed, superactive, mesic Calcic Haploxeralfs
SRS-1114	McClellan	IL	11/1/2008	Chenoa silty clay loam, 2 to 5 percent slopes	Fine, illitic, mesic Aquic Argiudolls
SRS-1113	Kearney	NE	10/1/2010	Holdrege-Hall silt loams, 0 to 1 percent slopes	Fine-silty, mixed, superactive, mesic Typic Argiustoll
SRS-1112	Franklin	MA	7/1/2010	Winooski silt loam, 0 to 3 percent slopes, protected	Coarse-silty, mixed, superactive, mesic Fluvaquentic Dystrudepts
SRS-1111	Lee	AL	3/1/2009	Marvyn loamy sand	Fine-loamy, mixed, superactive, frigid Typic Calcicquolls
SRS-1110	Northwood	ND	10/1/2010	Lowe loam, channeled, 0 to 2 percent slopes	silty clay Loam
SRS-1109	Cassia	RAF	4/14/2011	Davey fine sandy loam, 0 to 2 percent slopes	Sandy, mixed, mesic Xeric Haplocambids
SRS-1108	Currituck	NC	10/1/2010	Roanoke fine sandy loam	Sandy Loam
SRS-1107	Storrs	CN	7/28/2010	Woodbridge fine sandy loam, 0 to 3 percent slopes	silty clay loam
SRS-1106	Plymouth	UT	11/15/2009	Warden silt loam, 0 to 5 percent slopes	silt loam
SRS-1105	Webster	IA	10/21/2010	Webster silty clay loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
SRS-1104	Dehli	CA	11/1/2009	Atwater loamy sand, deep over hardpan, 0 to 3 percent slopes	Coarse-loamy, mixed, active, thermic Typic Haploxeralfs
SRS-1103	Lebanon	TN	3/1/2009	Bradyville silt loam, 2 to 5 percent slopes, eroded	Fine, mixed, semiactive, thermic Typic Hapludalfs
SRS-1102	Cass	MI	11/11/2010	Kalamazoo loam, 0 to 2 percent slopes	Fine-loamy, mixed, semiactive, mesic Typic Hapludalfs
SRS-1101	Harrington	PEI	7/1/2010	fine sandy loam soil	Orthic Humo-Ferric Podzol
SRS-1015	Britt	IA	12/2/2009	Clarion loam, 2 to 5 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Hapludolls
SRS-1014	San Joaquin	CA	11/14/2009	Tachi clay, 0 to 1 percent slopes	Very-fine, smectitic, thermic Typic Natraquerts
SRS-1013	Callahan	FL	5/4/2010	Surrency loamy fine sand	Loamy, siliceous, semiactive, thermic Arenic Umbric Paleaquults
SRS-1012	Petersburg	WV	7/22/2010	Tioga Fine sandy loam	Coarse-loamy, mixed, superactive, mesic Dystric Fluventic Eutrudepts
SRS-1011	Cropsey	IL	10/7/2007	Chenoa silty clay loam, 2 to 5 percent slopes	Fine, illitic, mesic Aquic Argiudolls
SRS-1010	Trempaleau	WI	10/6/2010	Gotham Loamy Fine Sand	Mixed, mesic Psammentic Hapludalfs
SRS-1009	Bell	TX	10/15/2005	Frio Silty Clay 0-1% Slope	Fine, smectitic, thermic Cumulic Haplustolls
SRS-1008	Washington	AR	3/7/2009	Captina silt loam, 1 to 3 percent slopes	Fine-silty, siliceous, active, mesic Typic Fragiudults

ALP Soil ID	County	State/P rov	Collection Date	Soil Series	USDA Taxinomic Soil Classification
SRS-1007	Kossuth	IA	12/2/2009	Webster Silty Clay Loam 0-2% slopes	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
SRS-1006	Anderson	SC	5/4/2010	Cartecay-Chewacla Complex	Coarse-loamy, mixed, semiactive, nonacid, thermic Aquic Udifluvents
SRS-1005	Brookings	SD	10/10/2009	Lanona-Swenoda sandy loams, 2 to 6 percent slopes	Coarse-loamy, mixed, superactive, frigid Calcic Hapludolls
SRS-1004	Livingston	IL	10/8/2009	Chenoa silty clay loam, 0 to 2 percent slopes	Fine, illitic, mesic Aquic Argiudolls
SRS-1003	Sonoma	CA	11/19/2009	Goldridge fine sandy loam--on a south facing slope of 5 percent	Fine-loamy, mixed, superactive, isomesic Typic Haplustults
SRS-1002	Jerome	ID	10/21/2008	Chiara silt loam, 1 to 8 percent slopes	Loamy, mixed, superactive, mesic, shallow Xeric Haplodurids
SRS-1001	Daviess	KY	3/4/2009	Weinbach silt loam	Fine-silty, mixed, active, mesic Aeric Fragiaqualfs
SRS-0915	Lee	AL	3/3/2009	Marvyn loamy sand	Fine-loamy, kaolinitic, thermic Typic Kanhapludults
SRS-0914	Holt	NE	10/18/2008	Valentine- Dunday loamy fine sands, 3 to 9 percent slopes	Mixed, mesic Typic Ustipsamments
SRS-0913	Hancock	IA	10/10/2008	Nicolette clay loam	Fine-loamy, mixed, superactive, mesic Aquic Hapludolls
SRS-0912	Madera	CA	5/5/2007	Chino loam, slightly saline-alkali, 0 to 1 percent slopes	Fine-loamy, mixed, superactive, thermic Aquic Haploxerolls
SRS-0911	Stearns	MN	10/10/2008	Waukon loam, 2 to 6 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Argiaquolls
SRS-0910	Power	ID	10/21/2008	Penoyer silt loam, 0 to 2 percent slopes	Coarse-silty, mixed, superactive, calcareous, mesic Typic Torriorthents
SRS-0909	Wright	IA	10/10/2007	Harps clay loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Calcicquolls
SRS-0908	Harper	KS	3/23/2009	Nalim loam, 0 to 1 percent slopes	Fine-loamy, mixed, superactive, mesic Udic Argiustolls, formed in loamy alluvium in the Great Bend Sand Plains
SRS-0907	Kankakee	IL	10/27/2008	Darroch silt loam, 0 to 2 percent slopes	Fine-loamy, mixed, mesic Aquic Argiudolls
SRS-0906	Crisp	GA	3/4/2009	Orangeburg loamy sand, 2 to 5 percent slopes	Fine-loamy, kaolinitic, thermic Typic Kandiodults
SRS-0905	Fountain	IN	10/20/2008	Mahalalad silty clay loam, 0 to 1 percent slopes	Fine-silty, mixed, superactive, mesic Typic Argiaquolls
SRS-0904	Chesterfield	VA	12/3/2009	Bourne fine sandy loam, 2 to 6 percent slopes	Fine-loamy, mixed, semiactive, thermic Typic Fragiudults
SRS-0903	Wright	IA	10/10/2007	Ottosen clay loam, 1 to 3 percent slopes	Fine-loamy, mixed, superactive, mesic Aquic Hapludolls
SRS-0902	Dona Ana	NM	11/21/2005	Glendale clay loam	Fine-silty, mixed, superactive, calcareous, thermic Typic Torrifluvents
SRS-0901	Fremont	ID	10/15/2007	Marystown silt loam, 1 to 4 percent slopes	Fine-silty, mixed, superactive, frigid Pachic Argixerolls
SRS-0815	Kankakee	IL	4/27/2007	Reddick clay loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
SRS-0814	Logan	CO	9/2/2008	Loveland Clay Loam	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, calcareous, mesic Fluvaquentic Endoaquolls
SRS-0813	Pinal	AZ	3/10/2004	Casa Grande sandy loam, 0-3 percent slope	Fine-loamy, mixed, superactive, hyperthermic Typic Natrargids
SRS-0812	Buchanan	IA	9/30/2007	Schley loam, 1 to 4 percent slopes	Fine-loamy, mixed, superactive, mesic Udollic Endoaqualfs
SRS-0811	Sarpy	NE	10/5/2007	Contrary- Monona silty clay loams, 6 to 11 percent slopes	Fine-silty, mixed, superactive, mesic Typic Hapludolls
SRS-0810	Holt	NE	9/15/2007	Dunday loamy sand, 0 to 3 percent slopes	Sandy, mixed, mesic Entic Haplustolls
SRS-0809	Hamilton	IA	10/10/2005	Clarion loam, 2 to 5 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Hapludolls
SRS-0808	Bingham	ID	9/9/2010	Bock loam, 0 to 2 percent slopes	Coarse-loamy, mixed, superactive, frigid Calcic Haploxerolls
SRS-0807	Polk	OR	3/15/2008	Woodburn silt loam, 0 to 3 percent slopes	Fine-silty, mixed, superactive, mesic Aquultic Argixerolls
SRS-0806	Portage	WI	10/1/2007	Rozellville loam 0-3 percent slopes	Fine-loamy, mixed, superactive, frigid Haplic Glossudalfs
SRS-0805	Swift	MN	10/26/2007	Bearden- Quam, depressionnal, complex, 0 to 2 percent slopes	Fine-silty, mixed, superactive, frigid Aeric Calcicquolls
SRS-0804	Ford	IL	10/25/2007	Elliott silty clay loam, 2 to 4 percent slopes, eroded	Fine, illitic, mesic Aquic Argiudolls
SRS-0803	Brown	MN	10/25/2007	Linder sandy loam	Coarse-loamy, mixed, superactive, mesic Aquic Hapludolls
SRS-0802	Payne	OK	10/10/2006	Teller fine sandy loam 0- 3 percent slopes	Fine-loamy, mixed, active, thermic Udic Argiustolls
SRS-0801	Holt	NE	9/2/2005	Dunday loamy sand, 0 to 3 percent slopes	Sandy, mixed, mesic Entic Haplustolls
SRS-0715	Cerro Gordo	IA	10/26/2006	Clarion loam, 2 to 5 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Hapludolls
SRS-0714	Tulare	CA	5/15/2005	Colpien loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, thermic Calcic Pachic Haploxerolls
SRS-0713	Adams	WA	4/1/2007	Shano silt loam, 0 to 5 percent slopes	Coarse-silty, mixed, superactive, mesic Xeric Haplocambids
SRS-0712	Hendricks	IN	9/20/2006	Whitaker silt loam, 0-3 percent slopes	Fine-loamy, mixed, active, mesic Aeric Endoaqualfs
SRS-0711	Preble	OH	9/20/2006	Miamian- Losantville clay loams, 6 to 12 percent slopes, severely eroded	Fine, mixed, active, mesic Oxyaquic Hapludalfs
SRS-0710	Houston	MN	9/20/2006	Seaton silt loam, valleys, 6 to 12 percent slopes, eroded	Fine-silty, mixed, superactive, mesic Typic Hapludalfs
SRS-0709	Swift	MN	10/26/2007	Bearden- Quam, depressionnal, complex, 0 to 2 percent slopes	Fine-silty, mixed, superactive, frigid Aeric Calcicquolls
SRS-0708	Saline	NE	4/20/2007	Crete silt loam, 1 to 3 percent slopes	Fine, smectitic, mesic Pachic Argiustolls
SRS-0707	Rio Blanco	CO	8/20/2006	Routt loam, 3 to 25 percent slopes	Fine, smectitic Pachic Palecryolls
SRS-0706	Jefferson	WI	10/11/2006	Grellton fine sandy loam, 2 to 6 percent slopes	Fine-loamy, mixed, superactive, mesic Typic Hapludalfs
SRS-0705	Napa	CA	10/1/2005	Pleasanton gravelly fine sandy loam	Fine-loamy, mixed, superactive, thermic Mollic Haploxeralfs

ALP Soil ID	County	State/P rov	Collection Date	Soil Series	USDA Taxinomic Soil Classification
SRS-0704	Grant	WA	10/20/2005	Ephrata fine sandy loam, 2 to 5 percent slopes	Coarse-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Xeric Haplocambids
SRS-0704	Grant	WA	10/20/2005	Ephrata fine sandy loam, 2 to 5 percent slopes	Coarse-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Xeric Haplocambids
SRS-0703	Holt	NE	9/2/2005	Dunday loamy sand, 0 to 3 percent slopes	Sandy, mixed, mesic Entic Haplustolls
SRS-0702	Iowa	IA	10/11/2006	Otley silty clay loam, 2 to 5 percent slopes	Fine, smectitic, mesic Oxyaquic Argiudolls
SRS-0701	Trempaleau	WI	9/25/2006	Gotham Loamy Fine Sand	Mixed, mesic Psammentic Hapludalfs
SRS-0604	Bell	TX	10/15/2005	Frio Silty Clay 0-1% Slope	Fine, smectitic, thermic Cumulic Haplustolls
SRS-0603	Houston	MN	9/1/2006	Seaton silt loam, valleys, 6 to 12 percent slopes, eroded	Fine-silty, mixed, superactive, mesic Typic Hapludalfs
SRS-0602	Kankakee	IL	9/1/2006	Andres silt loam, 0 to 2 percent slopes	Fine-loamy, mixed, superactive, mesic Aquic Argiudolls
SRS-0601	Holt	NE	9/2/2005	Dunday loamy sand, 0 to 3 percent slopes	Sandy, mixed, mesic Entic Haplustolls