



Containerboard Interlaboratory Testing Program

Participant Summary Report #588 (K) - September 2018

[Introduction to the Containerboard Program](#)

[Explanation of Tables and Definitions of Terms](#)

Analysis	Sample	Analysis Name
201	BX12	Box Compression Strength, Corrugated Boxes
202	EC11	Edgewise Compressive Strength, Wax (T811), Corrugated Board
203	EC11	Edgewise Compressive Strength by Clamp (T839), Corrugated Board
205	42D3	Mullen Burst of Linerboard, 42 lb Linerboard
206	56A2	Mullen Burst of Linerboard, 56 lb Linerboard
215	42D3	Ring Crush of Linerboard, Rigid Platen Type, 42 lb Linerboard
216	56A2	Ring Crush of Linerboard, Rigid Platen Type, 56 lb Linerboard
223	42D3	STFI of Linerboard, 42 lb Linerboard
224	56A2	STFI of Linerboard, 56 lb Linerboard
228	56A	Roughness - Stylus Method, 56 lb Linerboard
229	42D3	Roughness - Sheffield Method, 42 lb Linerboard
231	35E	Internal Bond Strength, Linerboard, 35 lb Linerboard
234	56A	Coefficient of Static Friction - Inclined Plane, 56 lb Linerboard
237	35E	Air Resistance - Gurley Method, Linerboard, 35 lb Linerboard
240	CM92	Flat Crush Strength (CMT) of Medium, 26 lb Corrugating Medium
250	CM92	Fluted Crush of Medium, 26 lb Corrugating Medium
255	CM92	Ring Crush of Medium, 26 lb Corrugating Medium
261	CM92	STFI of Medium, 26 lb Corrugating Medium

**Collaborative Testing Services, Inc.
CONTAINERBOARD INTERLABORATORY TESTING PROGRAM**

INTRODUCTION

The Interlaboratory Testing Program for Containerboard is operated and maintained by Collaborative Testing Services, Inc. (CTS), with technical guidance provided by the Containerboard Group of the American Forest & Paper Association. The tests are conducted on a monthly basis.

For these tests samples of linerboard and corrugating medium, that each have been separately randomized from narrow rolls, are distributed for testing weekly. One weight of medium (26 lb.) is used for Concora Flat Crush Strength, Corrugated Fluted Crush Strength, Ring Crush Strength, and STFI Compression. Two weights of linerboard are tested each month for Mullen Burst, Ring Crush, and STFI Compression: 42 lb. - every month; 36 lb. and 56 lb. - alternate months. The participants return their test results for analysis and receive a monthly report.

Please refer to the section, "EXPLANATION OF TABLES", for definitions of terms and guidelines to interpreting the results.

USE OF AVERAGE MEAN AS A COLLABORATIVE REFERENCE VALUE

The samples of linerboard and corrugating medium, which have been randomized and placed in sealed packages for distribution in this program, may be used as collaborative reference materials. The values most representative of each material are the Cumulative Grand Means in the latest reports, given at the bottom right of each table. Comparisons can only be made within one lot of material; therefore check your measurements against the Cumulative Grand Means with the same lot code as on the packages being tested.

Material	Lot Code	Dates in Use
26 lb Corrugating Medium	CM92	January 2018-Current
	CM91	October 2016-December 2017
35 lb Linerboard	35E1	June 2017-Current
42 lb Linerboard	42D3	November 2017-Current
	42D2	August 2016-October 2017
56 lb Linerboard	56A2	January 2018-Current
	56A1	July 2016-November 2017

ABOUT CTS

Founded in 1971, Collaborative Testing Services, Inc. (CTS) is a privately-owned company that specializes in interlaboratory tests for a wide variety of industries, including rubber, plastics, fasteners and metals, containerboard, paper, color, and wine, as well as proficiency tests for forensic laboratories. All of the tests are designed to assist organizations in achieving and maintaining quality control objectives. Labs from the U.S., as well as more than 80 countries, currently participate in the CTS programs.

For further information, contact:
Collaborative Testing Services, Inc
21331 Gentry Drive
Sterling, VA 20166 USA
Voice: 571-434-1925
Fax: 571-434-1937
containerboard@cts-interlab.com

EXPLANATION OF TABLES

Each analysis is divided into three time spans. On the left side of the table are the individual laboratory results for each week of the month; in the center are each lab's statistical data for the month; and on the right are each lab's cumulative data for up to 16 weeks. At the bottom of the table are the consensus statistics for all the participants for each of the three time spans.

Definitions of Terms Used

Weekly Results

Laboratory Data

- | | |
|--------------|--|
| WebCode | - A six character laboratory identifier used to maintain information on a confidential basis. The WebCode is unique for each cycle and will change for each report. Your WebCode can be found in your Individual Report (Current Month Performance Report) and your datasheet. |
| Weekly Means | - The average of the test results obtained by the participant for each week that data were reported. |

Consensus Data

- | | |
|---------------|---|
| Wk Mean | - For each week, the average of the Means for all the participants, excluding those laboratories flagged with an 'X'. |
| Avg SD | - For each week, the average of the within-laboratory standard deviations (SD's) for all the participants, excluding those laboratories flagged with an 'X'. The Avg SD is an indication of the variation of measurements within an average laboratory. |
| SD btwn Labs | - For each week, the standard deviation of the laboratory Means about the Wk Mean, excluding those laboratories flagged with an 'X'. The SD LABS is an indication of the precision of measurement between the laboratories. |
| Labs Incl'd | - The number of laboratory Means included in the Wk Mean for that week. |
| Labs Excl'd | - The number of laboratory Means reported but excluded from the Wk Mean for that week because of outlying results ('X' following Mean). |
| Labs not rcvd | - The number of laboratories failing to report for that week. |

Monthly Results

Laboratory Data

- | | |
|-------|---|
| Mean | - For each laboratory, the average of all the weekly Means reported for this month. |
| CPV | - Comparative Performance Value , an indication of how well a laboratory's Mean agrees with the other participants. The CPV is a ratio indicating the number of standard deviations from the consensus mean (Monthly Mean). The closer a laboratory's CPV is to zero, the more consistent its results are with the other participants' data. |
| SD | - For each laboratory, the average of the weekly within-lab standard deviations (SD's) for all reported Weekly Means this month. |
| SD Wk | - The standard deviation among the laboratory's weekly Means, including those Means flagged with an 'X'. The SD Wks is an indication of that laboratory's ability to obtain constant results from week to week. |

Consensus Data

- | | |
|---------------|---|
| Month Mean | - The average of the Means for all the participants, excluding those laboratories flagged with an 'X,' reporting data for this month. |
| Avg SD | - For the current month, the average of the within-laboratory standard deviations (SD's) for all the participants, excluding those laboratories flagged with an 'X'. |
| SD btwn Labs | - For the current month, the standard deviation of the laboratory Means about the Month Mean, excluding those laboratories flagged with an 'X'. |
| SD btwn Group | - For the current month, the standard deviation of the laboratory Means within the group about the Month Mean, excluding those laboratories flagged with an 'X'. |
| SD btwn Wks | - For the current month, the average of the laboratory between week standard deviations (SD Wks') for all the participants, excluding those laboratories flagged with an 'X'. |

Cumulative Results

Laboratory Data

- | | |
|-------|---|
| Mean | - For each lab, the average of all the monthly Means reported for the weeks shown. |
| CPV | - Comparative Performance Value , an indication of how well a laboratory's cumulative mean agrees with the other participants. The CPV is a ratio indicating the number of standard deviations from the consensus mean (Monthly Mean). |
| SDr | - For each laboratory, the average of the weekly within-lab standard deviations (SD's) for the weeks shown. |
| SD Wk | - The standard deviation among the laboratory's weekly Means for the weeks shown, including those Means flagged with an 'X'. The SD Wks is an indication of that laboratory's ability to obtain constant results from week to week. |
| Wks | - The number of weeks included in the cumulative period. |
| Inst | - The two letter instrument code. Codes are summarized at the bottom of the last analysis page. |

Consensus Data

- | | |
|--------------|--|
| Grand Mean | - The average of the Means for all the participants, excluding those laboratories flagged with an 'X,' reporting data for the number of weeks included in the cumulative period. |
| Avg SD | - For the cumulative period, the average of the within-laboratory standard deviations (SD's) for all the participants, excluding those laboratories flagged with an 'X'. |
| SD btwn Labs | - For the cumulative period, the standard deviation of the laboratory Means about the Month Mean, excluding those laboratories flagged with an 'X'. |
| SD btwn Wks | - For the cumulative period, the average of the laboratory between week standard deviations for all the participants, excluding those laboratories flagged with an 'X'. |
| Labs Incld | - The number of laboratory Means included in the Grand Mean. |

Any laboratory that receives a 'flag' following a mean or standard deviation should refer to the chart below for an explanation of the data flag symbol:

<u>Flag</u>	<u>Explanation</u>
-------------	--------------------

Data Flags "**X**" and "*****" indicate a laboratory's performance on an average value differed from the consensus.

Data Flags "**H**" and "**L**" indicate a laboratory's performance on a standard deviation differed from the consensus.

Flags assigned to Weekly Means, Monthly Mean and Cumulative Mean:

- X** Excluded from the weekly means, monthly means and/or the cumulative mean. Immediate review of data and/or testing procedure is recommended.
- *** Included in the weekly means, monthly means and/or the cumulative mean; however, lab should review testing procedure and monitor future results.

Flags assigned to Weekly Means:

- H** Indicates high within-laboratory standard deviation. The laboratory SD for each week is not shown, but laboratory average SD and consensus average SD values are shown.
- L** Indicates low within-laboratory standard deviation. The laboratory SD for each week is not shown, but laboratory monthly average SD and consensus average SD values are shown.

Flags assigned to Monthly SD Wks and Cumulative SD Wks:

- H** Indicates high variability between weekly means (high week-to-week variation).
- L** Indicates low variability between weekly means (low week-to-week variation).



Containerboard Interlaboratory Testing Program
Analysis 201

Report #588 (K)
September 2018

Top to Bottom Box Compression Strength, Corrugated Boxes - BX12
TAPPI Official Test Method T804

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
4EXY4G	562.4	-0.25	21.05	544.8	-0.89	55.11	H	4	LS
4NJ6YZ	620.9	1.28	51.75	583.9	0.38	36.28		4	LH
72HQEU	580.6	0.23	23.01	560.1	-0.39	13.96		4	TE
9JEXLR	496.2	-1.98 *	32.65	511.8	-1.96 *	23.85		4	LS
A6R6AQ	610.0	1.00	30.82	577.2	0.16	46.43		2	LL
DPNV3L	534.7	-0.97	21.40	563.0	-0.30	19.05		4	LM
DYUL6X	521.5	-1.32	20.14	544.8	-0.89	19.42		4	ER
FG2VEK	564.1	-0.20	15.76	590.7	0.60	21.06		4	LS
G6AKNT	573.6	0.05	23.46	572.8	0.01	22.07		4	ER
GT926D	638.8	1.75	34.85	640.2	2.20 *	2.52	L	3	TC
H8PGM3	533.1	-1.02	40.10	572.1	-0.01	56.45	H	4	ET
JL7RVQ	586.8	0.39	15.82	592.2	0.64	13.62		4	ES
K83RE8	561.3	-0.28	37.57	563.2	-0.29	6.86		4	LG
MLZD3E	651.0	2.07 *	37.57	648.0	2.45 *	10.56		4	ER
NMLFK8	538.4	-0.88	16.26	546.5	-0.84	5.49		4	LG
P7BFP9	597.4	0.67	14.12	590.1	0.57	8.16		4	EX
QJBL97	543.2	-0.75	14.85	545.5	-0.87	8.61		4	LS
R2AQJL	580.1	0.22	22.42	552.1	-0.65	19.53		4	LM
RE3DR3	520.6	-1.34	6.11	538.5	-1.09	12.36		4	LL
T4U6GU	568.5	-0.09	25.96	545.1	-0.88	18.86		4	LL
UHP2Z6	560.2	-0.31	19.24	582.5	0.33	15.14		4	ER
VDW3LA	585.6	0.36	26.89	588.7	0.53	9.01		4	LG
XR47E7	607.9	0.94	18.77	600.0	0.90	19.26		4	LG
ZGHGVQ	587.8	0.42	13.92	581.5	0.30	16.55		4	ET
Consensus (All Labs) Results									
Month Mean	571.86			Grand Mean	572.29				
Avg SD	26.43			Avg SD Months	24.58				
SD btwn Labs	38.16			SD btwn Labs	30.89				
Labs Incl'd	24			Labs Incl'd	24				

Consensus By Method

Test Method	Group Mean	SD btwn Group	Difference from Grand Mean	Labs Included
Hot melt adhesive sealing	560.02	31.70	11.84	6
Clip sealing	575.81	40.11	3.95	18



Containerboard Interlaboratory Testing Program
Analysis 201

Report #588 (K)
September 2018

Top to Bottom Box Compression Strength, Corrugated Boxes - BX12
TAPPI Official Test Method T804

Key to Instrument Codes Reported by Participants

ER	Emerson 6200 Series	ES	Emerson 8510
ET	Emerson 7200	EX	Emerson Apparatus (Model not specified)
LG	TLS / L.A.B. Validator Series	LH	L.A.B. Compression Tester Model #10610
LL	Lansmont 76-5K	LM	Lansmont 122-15k
LS	Lansmont Squeezer	TC	TMI Monitor/Compression Tester, Model 17-37
TE	Testometric M500 - 25 KN		



Containerboard Interlaboratory Testing Program
Analysis 202

Report #588 (K)
September 2018

Edgewise Compressive Strength, by T811, Corrugated Board - EC11
TAPPI Official Test Method T811

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
3P2UK2	44.1	0.95	1.64	41.1	0.28	3.61	4	LC	
4EXY4G	37.4	-0.65	1.58	39.4	-0.23	1.37	4	LD	
BD3QXK	37.9	-0.54	2.89	36.4	-1.09	2.28	3	WK	
DMGK3C	42.2	0.49	1.99	41.1	0.26	0.97	4	LC	
DYUL6X	38.9	-0.29	3.05	38.8	-0.39	0.50	4	EN	
FG2VEK	31.2	-2.13 *	2.62	32.4	-2.28 *	1.67	4	EM	
NMLFK8	44.4	1.02	1.20	43.8	1.06	0.58	4	TH	
QJBL97	44.5	1.04	1.90	44.0	1.13	0.76	4	LC	
UYVAWX	40.5	0.09	0.97 L	41.0	0.23	1.08	4	TD	
VDW3LA	43.7	0.85	1.48	43.2	0.90	0.73	4	LE	
ZPNLKM	36.7	-0.82	5.18 H	40.5	0.11	3.94 H	3	XX	
Consensus (All Labs) Results									
Month Mean	40.11			Grand Mean	40.15				
Avg SD	2.50			Avg SD Months	1.96				
SD btwn Labs	4.19			SD btwn Labs	3.41				
Labs Incl'd	11			Labs Incl'd	11				

Key to Instrument Codes Reported by Participants

EM	Emerson 1200 Series	EN	Emerson 2200
LC	L&W Crush Tester 48	LD	L&W Crush Tester 248
LE	L&W Crush Tester 840	TD	TMI Digital Crush Tester, Model 17-09
TH	TMI Monitor/Compression Tester, Model 17-76	WK	Zwick Z005 Crush Tester
XX	Instrument make/model not specified by lab		



Containerboard Interlaboratory Testing Program
Analysis 203

Report #588 (K)
September 2018

Edgewise Compressive Strength by T839, Corrugated Board - EC11
TAPPI Official Test Method T839

WebCode	Monthly Results				Cumulative Results					
	Mean	CPV	SD		Mean	CPV	SD	Months	Months	Inst
3L3FYW	38.8	-1.75	3.50	H	43.5	-0.11	3.57	4	TK	
3P2UK2	45.9	0.82	1.25		45.0	0.61	0.62	4	LC	
4EXY4G	42.4	-0.44	2.34		45.3	0.79	1.98	4	LD	
4NJ6YZ	42.7	-0.32	1.24		43.3	-0.23	0.91	4	EM	
63GRNT	42.9	-0.28	1.51		41.1	-1.29	1.42	4	LD	
72HQEU	46.2	0.95	0.96		45.4	0.83	0.72	4	LD	
7L8A8R	42.9	-0.27	2.64		44.7	0.48	1.91	4	EX	
7U466Q	43.7	0.03	1.70		43.0	-0.35	0.97	4	EM	
8NDUVR	40.9	-1.00	0.89		43.1	-0.29	2.40	4	LC	
9JEXLR	41.3	-0.85	1.34		41.8	-0.99	1.01	4	TB	
A6R6AQ	43.7	0.01	1.27		42.6	-0.56	1.48	2	BU	
AWYTH4	42.3	-0.47	0.82		43.0	-0.38	1.27	4	LD	
BD3QXK	41.5	-0.76	1.35		39.9	-1.92	1.77	3	WK	
CUGPGM	50.3	2.44 *	2.56		46.8	1.53	3.21	3	TD	
DAC4GG	40.7	-1.08	0.81		41.3	-1.23	0.42	4	LD	
DMGK3C	42.7	-0.33	1.33		43.0	-0.35	0.42	4	LC	
DPNV3L	47.8	1.53	1.51		46.7	1.50	0.74	4	TG	
DYUL6X	42.2	-0.53	2.13		41.1	-1.31	1.42	4	EN	
E3PZLJ	43.5	-0.03	0.95		42.3	-0.70	0.96	4	TD	
FG2VEK	40.8	-1.02	1.71		41.9	-0.93	0.98	4	EM	
G6AKNT	45.1	0.53	1.94		43.5	-0.12	1.17	4	LD	
H8PGM3	41.8	-0.68	1.74		41.7	-1.03	0.20	L	4	TD
H9MRJ7	43.8	0.05	1.48		44.1	0.20	0.40	3	LC	
J7VT68	37.2	-2.36 *	0.93		39.0	-2.34 *	1.63	3	XX	
JJVQQJ	43.2	-0.14	0.81		44.2	0.22	7.41	H	4	LD
JL7RVQ	45.9	0.84	1.75		45.2	0.74	1.12	4	LD	
K83RE8	38.0	-2.06 *	1.68		41.7	-1.03	2.60	4	TJ	
MLZD3E	42.7	-0.33	1.08		41.4	-1.18	0.99	4	EM	
NMLFK8	45.7	0.75	1.38		45.0	0.64	0.73	4	TH	
NU98UL	44.9	0.45	1.04		44.6	0.41	0.55	4	LD	
P7BFP9	44.8	0.42	1.18		44.5	0.37	1.00	4	LD	
PQGQUC	79.2	13.01 X	2.53		51.5	3.90 X	18.49 H	4	LC	
Q7NDB6	42.4	-0.46	2.31		45.3	0.81	2.20	4	CT	
QBKZ6T	44.9	0.45	1.10		45.0	0.62	0.11	L	4	EM
QJBL97	45.0	0.52	2.90	H	44.5	0.39	1.20	4	LC	
R2AQJL	50.4	2.46 *	0.88		48.3	2.26 *	2.75	4	EM	
RE3DR3	43.7	0.01	1.82		43.8	0.03	0.17	L	4	LC
UAVV6H	21.6	-8.05 X	1.18		22.1	-10.79 X	0.75	2	LD	
UYVAWX	42.5	-0.41	0.53	L	43.1	-0.31	0.69	4	TD	



Containerboard Interlaboratory Testing Program
Analysis 203


Report #588 (K)
September 2018

Edgewise Compressive Strength by T839, Corrugated Board - EC11
TAPPI Official Test Method T839

WebCode	Monthly Results				Cumulative Results					
	Mean	CPV	SD		Mean	CPV	SD	Months	Months	Inst
VDW3LA	44.7	0.41	2.92	H	44.3	0.28	1.08	4	LY	
XK3P4Z	43.9	0.10	1.33		43.7	0.01	0.45	4	LD	
XR47E7	43.8	0.08	1.01		44.5	0.39	1.27	4	EM	
YNW44V	42.4	-0.46	2.31		41.7	-1.02	1.67	4	TD	
ZFL49Y	48.9	1.91	1.77		48.5	2.38 *	0.87	4	TG	
ZGHGVQ	44.1	0.16	1.33		43.2	-0.29	1.75	4	EM	
ZHC6DM	46.6	1.10	1.68		46.2	1.21	0.33	4	LD	
Consensus (All Labs) Results										
Month Mean	43.62				Grand Mean	43.73				
Avg SD	1.69				Avg SD Months	1.85				
SD btwn Labs	2.74				SD btwn Labs	2.00				
Labs Incl'd	44				Labs Incl'd	43				

Key to Instrument Codes Reported by Participants

BU	Buchel Digital Crush Tester	CT	Con-Ten
EM	Emerson 1200 Series	EN	Emerson 2200
EX	Emerson (model not specified)	LC	L&W Crush Tester 48
LD	L&W Crush Tester 248	LY	L&W 830
TB	TMI Monitor/Compression Tester, Model 17-70	TD	TMI Digital Crush Tester, Model 17-09
TG	TMI Digital Crush Tester, 17-76	TH	TMI Monitor/Compression Tester, Model 17-76
TJ	TLS Compression Tester, Model CDM-5	TK	TLS Compression Tester, Model 5184
WK	Zwick Z005 Crush Tester	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program

Analysis 205

Report #588 (K)

September 2018

Bursting Strength (Mullen), 42 lb Linerboard - 42D3

TAPPI Official Test Method T807

WebCode	Weekly Means				Monthly Results					Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
2MJ9LZ	115.2	107.8	110.2	108.6	110.5	0.30	11.5	3.3	111.3	0.59	12.1	5.2	16	LA	
38KJ39	106.6	109.2	105.8	109.8	107.8	-0.40	8.8	2.0	107.8	-0.49	7.9	2.2	16	LA	
3BZ443	115.1	109.7	113.0	111.3	112.3	0.77	11.4	2.3	111.0	0.49	12.4	3.1	16	LC	
3D94BV	107.8	106.9	106.7	102.0	105.9	-0.93	9.9	2.6	105.3	-1.25	13.0	5.0	16	LC	
47LXQT	108.9	106.5	108.8	105.2	107.4	-0.53	10.9	1.8	106.7	-0.82	11.2	1.7	8	LC	
4EXY4G	105.5	101.0	102.6	106.5	103.9	-1.45	10.7	2.5	106.5	-0.89	10.0	5.1	16	LA	
4FU9HT	105.4	109.4	104.1	109.6	107.1	-0.59	10.4	2.8	107.5	-0.58	12.2	2.7	16	LC	
63GRNT	106.3	98.9 *	111.0	109.7	106.5	-0.76	10.7	5.4	107.5	-0.57	10.3	3.6	16	LC	
6MNZ27	104.0	108.3	105.9	106.6	106.2	-0.84	11.2	1.8	107.0	-0.73	12.3	2.4	16	LC	
9GBZCK	114.2	114.0	105.7	99.5	108.3	-0.26	13.8	7.1 H	115.8	1.99 *13.4	8.3 H	16	LC		
A76RUP	118.8 *	113.7	119.9 *	117.6	117.5	2.17 *	11.9	2.7	116.2	2.10 *13.3	4.0	16	LA		
ACEQN4	103.3	104.0	102.2	99.3	102.2	-1.90	11.6	2.1	106.2	-0.98	11.8	3.9	16	LC	
AWYTH4	110.9	100.9	109.6	108.5	107.5	-0.50	8.9	4.5	106.6	-0.87	8.6	2.9	16	LA	
C93T8R	103.1	103.0	111.1	104.2	105.4	-1.06	11.0	3.9	106.2	-0.97	11.2	2.6	16	LB	
D8L63H	109.0 L	No Data	108.9 L	No Data	109.0	-0.10	4.5	0.1	109.5	0.05	4.2	1.7	9	XX	
EFWLAH	106.7	99.3 *	107.9	106.3	105.0	-1.14	11.1	3.9	105.0	-1.34	11.1	3.9	4	LJ	
G6AKNT	114.4	113.7	111.2	114.3	113.4	1.08	10.7	1.5	108.8	-0.19	10.8	6.8	16	AH	
HCKBJJ	107.1	106.9	106.0	108.1	107.0	-0.62	7.5	0.9	107.3	-0.64	7.2	1.5	16	TP	
HJ2LWK	104.4	110.0	No Data	No Data	107.2	-0.57	13.7	3.9	113.2	1.18	11.5	5.6	13	LC	
HRYAXH	111.2	111.9	115.1	114.1	113.1	0.99	9.0	1.8	112.8	1.07	7.6	1.8	16	LC	
HV2AWU	109.2	107.5	98.6 *L	111.4	106.7	-0.71	10.3	5.6	108.9	-0.14	11.0	5.4	16	LC	
J4A22H	110.6	108.1	112.9	113.4	111.2	0.50	12.0	2.4	111.7	0.72	11.6	3.9	13	LZ	
JL7RVQ	110.8	114.1	108.9	106.9	110.2	0.22	10.3	3.1	108.8	-0.19	10.7	2.9	16	LA	
K6DDWN	104.4	104.3	105.8	99.7	103.5	-1.55	10.6	2.7	105.4	-1.22	10.0	4.0	16	LC	
LEKD6Q	108.6	106.0	113.3	112.5	110.1	0.20	11.3	3.4	110.4	0.32	11.6	3.6	16	TB	
LJE86C	116.3	110.7	107.9	112.3	111.8	0.65	12.1	3.5	109.8	0.13	11.4	3.6	16	TB	
LR9FNH	108.1	105.0	110.3	110.4	108.4	-0.24	11.5	2.6	106.3	-0.96	10.8	2.9	16	LC	
LWGXLB	107.7	104.1	109.1	103.6	106.1	-0.86	10.4	2.7	106.8	-0.80	10.7	3.4	14	LC	
M94E6G	114.0	114.9	114.9	110.7	113.6	1.14	8.3	2.0	119.1	3.01 X69.1	22.1 H	16	AH		
MAJN4A	105.0	108.2	113.3	108.5	108.8	-0.16	8.4	3.4	107.6	-0.55	10.3	3.1	16	LA	
NC6V2B	108.6	105.6	111.7 L	101.3	106.8	-0.68	7.9	4.4	110.3	0.29	11.3	4.3	16	LJ	
P7BFP9	111.6	108.6	111.9	110.0	110.5	0.31	11.2	1.5	109.5	0.05	10.9	2.9	16	AH	
PGUR2L	108.5	125.7 X	124.2 X	114.2	118.2	2.34 *	11.7	8.2 H	115.5	1.89	12.5	5.2	16	LA	
PQGQUC	107.5	113.7 H	111.2	113.2	111.4	0.55	15.1	2.8	110.8	0.44	12.8	3.0	16	LA	
Q7NDB6	115.2	108.9	108.2	109.0	110.3	0.26	10.3	3.3	113.3	1.21	12.3	3.3	16	XX	



Containerboard Interlaboratory Testing Program
Analysis 205

Report #588 (K)
September 2018

Bursting Strength (Mullen), 42 lb Linerboard - 42D3
TAPPI Official Test Method T807

WebCode	Weekly Means				Monthly Results					Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
QJBL97	103.3	103.7	101.5	103.5	103.0	-1.69	9.2	1.0	103.5	-1.80	11.2	3.0	16	AH	
QN9Z3M	109.6	113.4	111.2	103.6	109.4	0.03	7.4	4.2	113.0	1.12	9.7	7.5	16	TB	
QR6J4L	112.2	109.4	111.8	110.8	111.1	0.46	11.5	1.2	111.9	0.78	11.9	2.9	16	AX	
RFCGZK	114.1	114.0	118.9 *	118.1	116.3	1.84	9.9	2.6	115.3	1.83	12.4	3.5	16	LZ	
RMQA8A	109.2	108.1	110.5	108.6	109.1	-0.06	8.3	1.0	108.6	-0.25	7.2	1.0	16	AH	
THVUG2	108.2	No Data	No Data	104.0	106.1	-0.86	9.7	3.0	111.6	0.67	10.2	3.9	14	AH	
TLV6BF	119.2 *	114.8	116.4	120.5 *	117.7	2.23	* 11.0	2.6	116.3	2.14 * 11.4	2.7	16	AH		
TUQ6P9	108.8	110.4	103.8	104.2	106.8	-0.67	10.3	3.3	106.8	-0.79	10.3	3.3	4	LC	
TWXAJW	114.8	113.8	114.0	117.6 L	115.1	1.52	7.3	1.8	109.3	-0.03	6.1	3.9	16	RE	
U6MBJ7	112.4	109.6	118.1	109.7	112.5	0.83	12.5	4.0	108.6	-0.24	11.5	4.4	16	LA	
UGHJ29	109.9	105.8	109.0	112.8	109.4	0.01	11.3	2.9	107.6	-0.53	12.3	3.4	16	LC	
UHP2Z6	104.1	106.9	106.1	101.8	104.7	-1.23	11.4	2.3	103.7	-1.74	11.4	3.6	16	LZ	
UYVAWX	113.8	112.4 H	116.2	107.0	112.4	0.80	13.5	3.9	111.2	0.57	14.4	4.9	8	XX	
VDW3LA	114.0	110.6	109.1	117.4	112.8	0.91	12.3	3.7	112.4	0.93	12.1	2.3	16	LZ	
WUX964	109.5 L	108.9 L	110.2 L	109.6	109.6	0.06	4.5	0.5 L	107.5	-0.57	4.6	1.4	16	LA	
WXVR83	112.8	112.8	110.8	119.5 *	114.0	1.23	8.9	3.8	111.3	0.61	10.0	3.9	16	LC	
X4XBTX	101.9	100.1 *	112.2	108.3	105.6	-0.99	8.7	5.6	105.5	-1.19	10.4	3.3	16	LA	
XK3P4Z	112.1	107.5	109.2	107.2	109.0	-0.09	11.0	2.2	110.9	0.47	11.6	4.3	16	LC	
ZHC6DM	112.9	111.6	111.9	112.2	112.1	0.74	8.6	0.5 L	111.8	0.74	8.7	0.8 L	16	LA	
ZUHH9R	108.0	107.8	107.3	103.4	106.6	-0.72	10.6	2.2	106.0	-1.06	9.8	2.8	16	AA	

Consensus (All Labs) Results							
Wk Mean	109.72	108.39	109.85	109.02	Month Mean	109.34	Grand Mean
Avg SDr	10.76	10.14	10.41	10.73	Avg SD	10.53	Avg SD
SD btwn Labs	4.15	4.20	4.39	5.19	SD btwn Labs	3.76	SD btwn Labs
Labs Incld	55	52	52	53	SD btwn Wks	3.30	SD btwn Wks
Labs Excld	0	1	1	0	Labs Incld	55	Labs Incld
Labs not Rcvd	0	2	2	2			54



Containerboard Interlaboratory Testing Program

Analysis 205

Bursting Strength (Mullen), 42 lb Linerboard - 42D3

TAPPI Official Test Method T807

Report #588 (K)

September 2018

Key to Instrument Codes Reported by Participants

AA	Perkins Model A	AH	Perkins Model AH
AX	Perkins Mullen Tester (model not specified)	LA	L&W Bursting Strength Tester
LB	L&W Burst-O-Matic	LC	L&W Autoline
LJ	L&W Bursting Strength Tester J-Type	LZ	L&W (model not specified)
RE	Regmed/Mullen Tester	TB	TMI Monitor/Burst 1000
TP	Technidyne PROFILE/Plus	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program

Analysis 206


Report #588 (K)

September 2018

Bursting Strength (Mullen), 56 lb Linerboard - 56A2

TAPPI Official Test Method T807

WebCode	Weekly Means				Monthly Results					Cumulative Results						
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst		
2MJ9LZ	115.4	106.0	H	114.3	102.7	109.6	-0.75	12.3	6.2	115.6	0.92	11.9	6.1	12	LA	
38KJ39	118.3	113.9		114.3	114.0	115.1	0.75	8.6	2.1	115.7	0.94	9.1	2.6	12	LA	
3BZ443	111.6	H	121.1	125.2	*	109.9	117.0	1.26	12.2	7.4	113.5	0.27	12.3	6.1	12	LC
3D94BV	106.1	108.6		114.3	108.6	109.4	-0.82	10.5	3.5	108.8	-1.11	11.8	3.0	11	LC	
47LXQT	111.4	116.9		111.6	110.9	112.7	0.09	13.3	2.8	112.7	0.04	13.3	2.8	4	LC	
4EXY4G	105.7	115.1		109.7	108.1	109.7	-0.74	10.6	4.0	111.4	-0.33	11.2	3.8	12	LA	
4FU9HT	111.4	113.2		107.6	106.1	109.6	-0.77	8.6	3.3	109.0	-1.05	10.4	3.4	12	LC	
63GRNT	108.9	112.1		105.6	H	110.3	109.2	-0.87	13.9	2.8	109.4	-0.93	11.5	5.0	12	LC
6MNZ27	107.2	109.0		109.3	111.4	109.2	-0.86	9.9	1.7	108.8	-1.10	10.1	3.5	12	LC	
9GBZCK	121.7	*	108.2	107.5	107.4	111.2	-0.33	12.5	7.0	112.0	-0.17	13.8	5.5	12	LC	
A76RUP	116.9	108.0		114.0	112.0	112.7	0.10	12.6	3.7	113.4	0.24	11.9	5.1	8	LA	
ACEQN4	110.3	109.7		107.0	104.9	108.0	-1.21	11.8	2.5	107.7	-1.43	12.7	3.9	12	LC	
AWYTH4	107.4		108.6	L	108.9	105.1	107.5	-1.33	6.9	1.8	110.0	-0.76	7.9	3.7	12	LA
C93T8R	106.7	109.0		117.4	110.9	111.0	-0.37	7.4	4.6	111.4	-0.33	7.9	3.4	12	LB	
D8L63H	119.0	NO DATA		119.4	NO DATA	119.2	1.87	5.0	0.3	121.2	2.57	*	4.9	2.4	6	XX
EFWLAH	111.1	109.9		115.0	103.5	109.9	-0.68	13.9	4.8	109.9	-0.79	13.9	4.8	4	LJ	
G6AKNT	112.8	121.2		120.2	111.4	116.4	1.11	9.0	5.0	112.9	0.11	10.5	5.8	12	AH	
HCKBJJ	113.7	111.9		112.6	111.9	112.5	0.04	9.5	0.9	112.0	-0.16	8.1	1.2	12	TP	
HJ2LWK	112.8	124.7	*	NO DATA	NO DATA	118.7	1.75	9.2	8.4	114.6	0.61	11.2	5.4	8	LC	
HV2AWU	117.1	116.8		107.2	115.7	114.2	0.50	10.8	4.7	113.8	0.36	9.9	4.4	12	LC	
J4A22H	110.8	110.6		112.8	114.0	112.1	-0.09	11.7	1.6	110.6	-0.57	11.6	5.3	9	LZ	
JL7RVQ	115.2	111.0		105.7	109.2	110.3	-0.57	10.8	4.0	111.1	-0.44	10.1	4.3	12	LA	
K6DDWN	111.6	107.5		116.0	103.1	109.5	-0.78	10.1	5.5	108.1	-1.32	9.2	4.9	12	LC	
LEKD6Q	108.2	109.5		107.8	113.9	109.8	-0.69	12.3	2.8	114.3	0.51	10.3	4.6	12	TB	
LJE86C	112.1	116.9		111.2	112.9	113.3	0.24	13.1	2.5	112.8	0.08	12.7	3.0	12	TB	
LR9FNH	110.7	109.4	L	106.2	105.0	107.8	-1.24	10.1	2.7	107.5	-1.51	11.3	4.3	12	LC	
LWGXLB	113.3	107.4		108.9	108.6	109.6	-0.77	10.2	2.6	110.7	-0.54	9.4	2.2	12	LA	
M94E6G	115.3	113.1		120.2	107.0	113.9	0.42	8.8	5.5	113.2	0.21	8.4	3.2	12	AH	
MAJN4A	113.1	111.4		112.4	111.2	112.0	-0.09	10.9	0.9	110.2	-0.69	10.2	2.6	12	LA	
NC6V2B	105.9	106.5		107.7	111.8	107.9	-1.21	12.6	2.7	111.4	-0.35	10.9	4.5	12	LJ	
P7BFP9	107.8	114.6		111.0	103.2	109.2	-0.88	10.4	4.8	112.3	-0.07	10.1	4.1	12	AH	
PGUR2L	121.0	122.6	124.5	*	117.6	121.4	2.48	*	13.4	2.9	118.8	1.86	12.6	4.4	12	LA
PQGQUC	113.2	103.8		119.2	115.8	113.0	0.17	10.1	6.6	115.7	0.93	10.5	4.7	12	LA	
Q7NDB6	116.3	112.3		110.1	116.5	113.8	0.39	8.9	3.1	116.1	1.05	11.0	3.0	12	XX	
QJBL97	103.8	*	105.7	106.9	105.4	105.5	-1.90	9.4	1.3	105.4	-2.11	*	10.5	2.1	AH	



Containerboard Interlaboratory Testing Program

Analysis 206

Report #588 (K)

September 2018

Bursting Strength (Mullen), 56 lb Linerboard - 56A2

TAPPI Official Test Method T807

WebCode	Weekly Means				Monthly Results					Cumulative Results						
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst		
QN9Z3M	110.2	113.1	114.1	122.1 *	114.9	0.69	7.9	5.1	120.8	2.46 *	9.9	6.1	12	TB		
QR6J4L	112.9	113.7	112.0	108.4	111.7	-0.17	10.2	2.3	114.6	0.60	10.1	5.7	8	AX		
RFCGZK	115.9	118.5 H	120.2	124.9 X	119.9	2.06 *	12.7	3.8	118.9	1.89	12.1	3.5	12	LZ		
RMQA8A	114.4	111.8	114.4	112.0	113.2	0.21	7.0	1.4	112.9	0.11	6.8	1.4	12	AH		
THVUG2	117.8	NO DATA	NO DATA	112.4	115.1	0.75	9.3	3.8	113.3	0.23	8.5	4.0	10	AH		
TLV6BF	122.0 *	119.9	113.6	112.2	116.9	1.25	9.3	4.8	116.2	1.09	9.8	3.3	8	AH		
TUQ6P9	117.1	116.2	108.0	108.3	112.4	0.01	10.0	4.9	112.4	-0.04	10.0	4.9	4	XX		
TWXAJW	111.8	114.2	108.8	109.4	111.1	-0.36	6.3	2.5	114.1	0.47	6.5	2.8	12	RE		
U6MBJ7	121.7 *	120.6	116.0	117.5	118.9	1.80	9.4	2.6	109.8	-0.80	9.9	8.4	12	LA		
UGHJ29	109.0	108.8	111.6	109.5	109.7	-0.72	9.8	1.3	109.5	-0.90	9.6	1.7	8	LC		
UHP2Z6	114.1	104.2 H	112.6	107.0	109.5	-0.80	12.7	4.7	109.0	-1.04	12.0	2.8	12	LZ		
UYVAWX	109.6	120.2	113.6	105.0	112.1	-0.07	14.5	6.4	112.1	-0.13	14.5	6.4	4	XX		
VDW3LA	111.3	106.9	119.3	116.8	113.6	0.33	9.4	5.6	115.7	0.94	10.0	4.7	12	LZ		
WUX964	119.2 L	119.8 L	119.1 L	119.7 *L	119.5	1.94 *	3.2	0.4 L	116.2	1.10	4.2	3.6	12	LA		
WXVR83	114.7	110.4	113.3	110.1 H	112.1	-0.07	13.3	2.2	113.5	0.28	11.7	3.7	12	LC		
X4XBTX	112.5	101.5 *	107.4	101.8	105.8	-1.81	12.1	5.2	107.2	-1.59	10.3	3.4	12	LA		
XK3P4Z	114.4	111.2	113.8	114.9	113.6	0.33	10.0	1.6	115.0	0.73	11.6	3.3	12	LC		
ZHC6DM	114.0	114.8	114.3	113.8	114.2	0.52	8.5	0.4 L	114.7	0.64	8.8	0.7 L	12	LA		
ZUHH9R	114.5	115.6	104.9	113.0	112.0	-0.10	10.2	4.9	109.4	-0.95	11.0	4.1	12	AA		
Consensus (All Labs) Results																
Wk Mean	112.97	112.45	112.67	110.46	Month Mean		112.37		Grand Mean		112.55					
Avg SDr	10.70	10.28	10.79	10.79	Avg SD		10.57		Avg SD		10.57					
SD btwn Labs	4.34	5.24	4.92	4.62	SD btwn Labs		3.65		SD btwn Labs		3.37					
Labs Incld	54	52	52	51	SD btwn Wks		4.01		SD btwn Wks		4.21					
Labs Excld	0	0	0	1	Labs Incld		54		Labs Incld		54					
Labs not Rcvd	0	2	2	2												

Key to Instrument Codes Reported by Participants


AA	Perkins Model A	AH	Perkins Model AH
AX	Perkins Mullen Tester (model not specified)	LA	L&W Bursting Strength Tester
LB	L&W Burst-O-Matic	LC	L&W Autoline
LJ	L&W Bursting Strength Tester J-Type	LZ	L&W (model not specified)
RE	Regmed/Mullen Tester	TB	TMI Monitor/Burst 1000
TP	Technidyne PROFILE/Plus	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 215
Ring Crush, 42 lb Linerboard - 42D3
TAPPI Official Test Method T822

Report #588 (K)
September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
38KJ39	87.4	84.6	87.3	86.7	86.5	-0.16	2.8	1.3	86.8	-0.12	3.2	1.3	16	LD
3D94BV	91.7	90.3	90.1	89.3	90.4	0.48	5.4	1.0	90.6	0.55	4.3	3.0	16	LC
3L3FYW	77.5	74.9 *	74.5 *	75.8	75.7	-1.96 *	4.4	1.3	71.9	-2.70 *	4.4	4.4	16	MZ
3P2UK2	85.5	85.9	86.1	84.2 L	85.4	-0.34	3.2	0.8	85.0	-0.42	3.0	1.6	16	LC
4EVAYK	89.6	89.9	89.4	90.3	89.8	0.39	3.9	0.4 L	92.9	0.95	4.4	3.0	12	TH
4EXY4G	87.5	88.0	85.4	87.6	87.1	-0.05	4.5	1.2	87.5	0.01	3.9	1.8	16	LD
4FU9HT	88.1	87.2	87.9	90.3	88.4	0.15	3.9	1.3	89.9	0.42	4.4	1.5	16	LD
63GRNT	86.1	83.8	87.9	88.3	86.5	-0.15	4.6	2.1	86.3	-0.19	4.1	1.8	16	LD
6MNZ27	87.0	83.5	85.8	84.8	85.3	-0.36	3.2	1.5	86.3	-0.19	3.1	1.3	16	LD
6RJVHK	74.8 *	74.8 *	73.9 *	75.5 *	74.8	-2.11 *	4.0	0.6	74.8	-2.20 *	4.0	0.6 L	4	XX
72HQEU	90.1	90.9	90.7	90.1 L	90.5	0.50	2.2	0.4 L	91.3	0.67	2.2	1.0	16	LD
7VU7BE	94.8	92.6	94.9	91.1	93.4	0.98	4.9	1.8	95.1	1.34	4.1	2.6	16	LD
94ZRCD	113.0 X	89.4	90.9	88.0	95.3	1.31	4.9	11.9 H	89.7	0.39	4.2	7.8 H	12	XX
A76RUP	101.6 *	98.3	97.2	98.2	98.8	1.89	4.9	1.9	97.1	1.68	5.5	3.5	16	LD
ACEQN4	92.0 H	96.9	96.0 H	95.5	95.1	1.27	8.5	2.1	91.6	0.72	8.2	5.2	16	LC
AWYTH4	81.1	85.1	85.9	84.6	84.2	-0.55	2.8	2.1	85.4	-0.36	3.3	2.2	16	LD
C93T8R	91.8	91.5	90.3	92.9	91.6	0.69	4.1	1.1	92.1	0.81	4.2	2.3	16	LC
D8L63H	86.5	71.6 *	76.1	72.0 *	76.6	-1.81	3.3	6.9	80.0	-1.29	3.4	5.2	12	LD
DYUL6X	81.5	80.2	82.2	81.4	81.3	-1.02	4.2	0.8	81.9	-0.96	3.9	1.5	16	EN
E3PZLJ	92.8 L	90.4 L	91.6 L	93.3 L	92.0	0.76	0.9	1.3	92.0	0.78	1.2	1.7	16	TD
EFWLAH	94.3	93.5	91.5	93.0	93.0	0.93	3.7	1.2	93.0	0.97	3.7	1.2	4	LD
G6AKNT	86.7	86.1	84.0	85.7	85.6	-0.30	4.4	1.2	85.5	-0.35	4.1	1.5	16	LD
GLFJYH	90.3	92.0	92.6	91.5	91.6	0.69	3.4	1.0	92.2	0.82	3.5	1.4	16	LD
HCKBJJ	84.6	87.4	93.5	90.6 L	89.0	0.26	3.3	3.8	88.7	0.23	3.7	2.2	16	TH
HJ2LWK	89.1	88.5	88.6	No DATA	88.7	0.21	3.8	0.4 L	90.5	0.53	3.8	2.3	14	LD
K6DDWN	94.1	93.9	91.8 H	90.1	92.5	0.83	5.3	1.9	91.5	0.71	4.8	3.3	16	LD
LJE86C	87.5	85.8	90.1	93.1	89.1	0.28	3.7	3.2	89.9	0.43	4.2	2.9	16	LD
LPC4J3	70.0 *	72.6 *	71.4 *	73.2 *	71.8	-2.60 *	3.8	1.4	72.0	-2.68 *	3.4	1.1	8	TH
LR9FNH	82.6	81.8	80.2	83.3 L	82.0	-0.91	2.8	1.3	83.3	-0.73	3.6	2.1	16	LC
LWGXLB	88.9	86.7	87.2	88.5	87.8	0.06	3.1	1.0	88.2	0.12	3.8	2.0	16	LD
M94E6G	99.4	93.5	91.1	90.3	93.6	1.02	4.3	4.1	93.6	1.07	4.6	2.3	16	LZ
MAJN4A	90.1	91.2	89.4	90.6	90.3	0.48	3.6	0.8	91.5	0.70	3.8	1.4	16	LD
NC6V2B	91.8	89.3	92.9	89.3	90.8	0.56	4.4	1.8	88.9	0.25	4.6	2.8	16	LD
PGUR2L	89.9	93.2	93.9	93.7	92.7	0.87	3.8	1.9	92.6	0.90	4.2	2.7	16	LZ
PQGQUC	97.4	91.7	87.1	97.5	93.4	0.99	4.7	5.0	83.5	-0.68	6.7	11.4 H	16	LC



Containerboard Interlaboratory Testing Program
Analysis 215
Ring Crush, 42 lb Linerboard - 42D3
TAPPI Official Test Method T822

Report #588 (K)
September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
PWN237	77.4 H	87.9	88.7	81.3	83.8	-0.61	5.4	5.4	84.4	-0.53	8.1	5.8	15	MB
QBKZ6T	81.8	83.7	83.0	81.9	82.6	-0.81	3.7	0.9	82.5	-0.87	4.2	2.2	16	EM
QJBL97	94.5	92.2	93.5	92.3	93.1	0.94	4.1	1.1	91.2	0.66	4.3	1.8	16	LC
QN9Z3M	105.3 *H	98.2	99.1	97.6	100.1	2.09 *	5.0	3.6	101.9	2.52 * 4.6	3.9	16	LX	
QR6J4L	80.9	74.4 *	76.4	81.8	78.4	-1.51	5.1	3.6	77.0	-1.82	4.9	4.9	16	LC
RFCGZK	86.6	82.1	85.4	84.5	84.6	-0.47	3.9	1.9	86.4	-0.18	4.3	2.3	16	LC
TEHTKA	82.9	83.6	NO DATA	NO DATA	83.3	-0.70	3.5	0.5	84.4	-0.53	3.6	1.4	4	EX
THVUG2	94.6	NO DATA	NO DATA	92.5	93.5	1.01	4.4	1.5	87.7	0.04	6.4	6.8	14	LC
TWXAJW	90.9	90.1	89.2	87.8 L	89.5	0.34	3.1	1.3	89.1	0.28	3.2	1.4	16	LZ
U6MBJ7	66.3 XH	94.2	95.6	68.4 XH	81.1	-1.06	7.6	15.9 H	88.8	0.23	5.8	10.4 H	16	LC
UHP2Z6	84.3	85.2	83.1	86.9	84.9	-0.43	3.8	1.6	85.5	-0.34	4.0	2.6	16	LD
UYXZZV	93.4	92.2	91.3	93.0 L	92.5	0.83	3.8	0.9	91.4	0.68	4.1	1.5	12	LD
VDW3LA	87.4	88.0	82.0	88.2	86.4	-0.18	3.4	3.0	86.6	-0.14	3.6	1.6	16	LG
WUX964	84.2 L	84.6 L	85.3 L	85.3 L	84.8	-0.44	1.7	0.5 L	84.0	-0.59	2.1	0.9 L	16	TU
WXXGCY	75.2	77.1	76.6	74.8 *	75.9	-1.92	4.6	1.1	76.9	-1.82	4.7	1.7	12	LC
X4XBTX	89.9	88.4	85.6 H	92.1	89.0	0.26	5.1	2.8	87.5	0.01	4.9	3.5	16	LZ
XK3P4Z	88.7	85.0	87.2	79.9 H	85.2	-0.37	13.1	3.9	85.5	-0.33	7.2	2.5	16	LD
XR47E7	78.9	83.0	81.3	82.4	81.4	-1.01	3.0	1.8	83.8	-0.63	4.1	2.5	16	EM
ZFL49Y	89.1	87.3	87.8	87.7	88.0	0.08	3.2	0.8	90.0	0.45	3.2	2.5	16	TH
ZHC6DM	91.6	91.4	91.7	91.5	91.5	0.68	3.4	0.1 L	91.5	0.71	3.5	0.6 L	16	LD

Consensus (All Labs) Results							
Wk Mean				Month Mean			
Avg SDr				Avg SD			
SD btwn Labs				SD btwn Labs			
Labs Incld				SD btwn Wks			
Labs Excld				Labs Incld			
Labs not Rcvd				Grand Mean			
				87.46			
				Avg SD			
				4.51			
				SD btwn Labs			
				6.01			
				SD btwn Wks			
				3.49			
				Labs Incld			
				55			
				Grand Mean			
				87.44			
				Avg SD			
				4.40			
				SD btwn Labs			
				5.76			
				SD btwn Wks			
				3.55			
				Labs Incld			
				55			



Containerboard Interlaboratory Testing Program

Analysis 215

Ring Crush, 42 lb Linerboard - 42D3


TAPPI Official Test Method T822

Report #588 (K)

September 2018

Key to Instrument Codes Reported by Participants

EM	Emerson 1200	EN	Emerson 2200
EX	Emerson (model not specified)	LC	L&W Crush Tester 48
LD	L&W Crush Tester 248	LG	L&W 753
LX	L&W 506	LZ	L&W Crush Tester (model not specified)
MB	Messmer Buchel K440	MZ	Messmer Buchel (model not specified)
TD	TMI Digital Crush Tester, Model 17-09	TH	TMI Compression Tester, Model 17-76
TU	TMI Universal Crush Tester (TMI K440)	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 216
Ring Crush, 56 lb Linerboard - 56A2
TAPPI Official Test Method T822

Report #588 (K)
September 2018

WebCode	Weekly Means				Monthly Results					Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
38KJ39	135.3	135.5	141.6	139.2	137.9	-0.02	4.2	3.1	138.2	-0.05	4.1	3.0	12	LD	
3D94BV	141.0	144.7	142.4	143.2	142.8	0.50	4.9	1.5	139.1	0.07	5.1	8.7	12	LC	
3L3FYW	114.9 *	123.1	109.2 X	118.3 *	116.3	-2.29 *	4.6	5.8	112.9	-3.54 X	5.5	7.7	12	MZ	
3P2UK2	137.7	137.2	137.2	136.9	137.3	-0.08	3.4	0.3 L	137.0	-0.21	4.0	0.8 L	12	LC	
4EVAYK	146.6	144.5	144.2	147.2	145.6	0.80	5.8	1.5	147.7	1.26	5.7	2.5	8	TH	
4EXY4G	135.2	131.6	133.4	136.5	134.2	-0.41	5.0	2.1	134.3	-0.59	5.0	2.7	12	LD	
4FU9HT	136.9	142.7	141.3	146.1	141.7	0.39	4.3	3.8	143.7	0.70	4.8	2.7	12	LD	
63GRNT	141.3	135.6	137.2	136.5	137.7	-0.04	3.8	2.5	137.5	-0.15	4.0	2.1	12	LD	
6MNZ27	141.2	134.5	135.1	138.5	137.3	-0.08	4.7	3.1	137.9	-0.09	4.0	2.5	12	LD	
6RJVHK	116.9 *	118.7 *	126.5	121.4	120.9	-1.81	6.2	4.2	120.9	-2.44 *	6.2	4.2	4	XX	
72HQEU	142.2 L	143.0	142.1	142.5	142.5	0.47	3.6	0.4 L	142.9	0.60	3.2	0.7 L	12	LD	
7VU7BE	150.3 L	146.2	150.5	141.7	147.2	0.96	3.2	4.2	150.4	1.63	5.1	5.2	8	LD	
94ZRCD	178.1 X	142.8	150.2	138.8	152.5	1.53	5.4	17.7 H	145.3	0.92	5.2	12.1 H	10	XX	
A76RUP	153.7	153.0	152.5	154.0	153.3	1.61	3.9	0.6 L	152.4	1.91	4.5	1.4 L	8	LD	
ACEQN4	152.2 H	159.2 *H	144.9 H	151.2 H	151.9	1.46	12.4	5.9	143.2	0.64	9.7	10.3	12	LC	
AWYTH4	132.6	136.9	136.3	137.1	135.7	-0.25	4.3	2.1	135.2	-0.47	3.6	1.5 L	12	LD	
C93T8R	143.1	145.7	147.0	145.1	145.2	0.76	3.5	1.6	145.8	1.00	4.2	3.1	12	LC	
D8L63H	131.7	119.9	120.0 *	116.1 *	121.9	-1.71	4.6	6.8	125.3	-1.83	4.8	7.5	8	LD	
DYUL6X	127.8	130.5	128.2	130.2	129.2	-0.94	3.9	1.4	128.7	-1.36	4.2	1.5 L	12	EN	
E3PZLJ	141.3 L	140.6 L	139.4 L	144.4 L	141.4	0.36	1.2	2.1	140.8	0.31	1.4	1.6	12	TD	
EFWLAH	152.9	146.6	148.6	150.8	149.7	1.23	5.8	2.8	149.7	1.54	5.8	2.8	4	LD	
G6AKNT	133.0 L	136.5 L	134.3	135.6	134.9	-0.34	4.4	1.5	136.4	-0.30	4.1	1.9	12	LD	
GLFJYH	143.4	146.6	144.4	143.5	144.5	0.68	4.5	1.5	144.0	0.75	5.1	1.8	12	LD	
HCKBJJ	138.6	135.9	137.7	137.2	137.4	-0.07	4.5	1.1	138.7	0.01	4.3	1.8	12	TH	
HJ2LWK	145.4	142.0	142.6	No Data	143.3	0.56	4.4	1.8	143.6	0.69	4.5	3.0	9	LD	
K6DDWN	147.8	147.6	150.5	147.2	148.3	1.08	5.6	1.5	145.0	0.89	5.5	3.0	12	LD	
LJE86C	141.5	138.3	153.3	144.2	144.3	0.66	5.3	6.5	144.3	0.79	5.4	4.3	12	LD	
LPC4J3	113.0 *	114.6 *	110.5 X	114.2 *	113.1	-2.64 *	4.9	1.9	113.1	-3.52 X	4.9	1.9	4	TH	
LR9FNH	134.0	136.5	128.9	136.9 L	134.1	-0.42	3.1	3.7	134.1	-0.61	3.4	4.4	12	LC	
LWGXLB	141.7	137.3	140.7	138.8	139.6	0.17	4.2	1.9	139.0	0.06	4.1	1.7	12	LD	
M94E6G	151.7	145.9	138.2	139.3	143.8	0.60	5.8	6.3	146.7	1.13	5.3	4.9	11	LZ	
MAJN4A	146.1	143.5	142.5	142.5	143.7	0.59	4.6	1.7	142.8	0.59	5.0	1.4 L	12	LD	
NC6V2B	145.6	144.8	142.9	150.9	146.0	0.84	6.1	3.4	145.9	1.01	6.3	3.8	12	LD	
PGUR2L	142.4	143.5	142.0	143.6	142.9	0.51	3.9	0.8 L	143.1	0.63	4.4	1.9	12	LZ	
PQGQUC	149.7	150.0	126.1 H	152.4	144.6	0.69	9.2	12.4 H	130.3	-1.15	12.3	18.6 H	12	LC	



Containerboard Interlaboratory Testing Program

Analysis 216

Ring Crush, 56 lb Linerboard - 56A2

TAPPI Official Test Method T822

Report #588 (K)

September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results						
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
PWN237	119.1 *H	141.9	143.7	121.1 H	131.5	-0.70	7.7	13.2 H	134.6	-0.55	8.8	10.0	10	MB	
QBKZ6T	130.3	123.5	125.6	126.6	126.5	-1.22	5.5	2.9	127.1	-1.59	5.1	2.9	12	EM	
QJBL97	141.6	144.6	146.1	144.2	144.1	0.64	4.7	1.9	146.0	1.03	4.1	1.9	12	LC	
QN9Z3M	160.6 *	161.5 *	155.9 *	158.7 *	159.2	2.23 *	5.4	2.5	160.9	3.08 X	5.6	3.0	12	LY	
QR6J4L	122.9 H	120.4 H	121.8 H	126.4	122.9	-1.61	8.6	2.5	121.2	-2.41 *	7.3	2.8	8	LC	
RFCGZK	139.9	131.9	133.1	135.3	135.0	-0.32	4.3	3.5	137.1	-0.20	5.0	3.2	12	LC	
TEHTKA	138.4	132.9	No Data	No Data	135.6	-0.26	6.8	3.9	135.6	-0.40	6.8	3.9	2	EX	
THVUG2	141.7	No Data	No Data	142.7	142.2	0.44	4.6	0.7	141.1	0.35	8.1	4.0	9	LC	
TWXAJW	128.2	125.9	128.8	128.0	127.7	-1.09	4.1	1.3	135.9	-0.37	4.1	6.1	12	LZ	
U6MBJ7	108.7 XH	152.8	147.0	102.4 XH	127.7	-1.09	11.6	25.8 H	138.5	-0.01	9.3	20.8 H	12	LC	
UHP2Z6	135.1	136.3	135.4	138.9	136.4	-0.17	5.4	1.7	137.4	-0.16	4.8	3.2	12	LD	
UYXZZV	139.9	144.8	143.3	141.7	142.4	0.46	4.7	2.1	142.4	0.53	5.0	2.1	12	LD	
VDW3LA	143.0	142.2	134.0	133.8	138.3	0.02	3.2	5.1	137.7	-0.11	3.2	3.6	12	LY	
WUX964	131.1 L	133.2	133.3	133.5 L	132.8	-0.56	2.2	1.1	131.0	-1.04	3.3	2.1	12	TU	
WXXGCY	121.8	118.6 *	118.2 *	118.5 *	119.3	-1.99 *	4.7	1.7	121.8	-2.32 *	5.2	2.9	8	LC	
X4XBTX	141.0	140.6	136.8	138.0	139.1	0.11	5.3	2.0	135.8	-0.39	6.2	7.1	12	LZ	
XK3P4Z	134.5	134.4	132.2	134.2	133.8	-0.44	3.4	1.1	132.6	-0.82	3.7	2.6	12	LD	
XR47E7	135.6	130.2	128.8	135.3	132.4	-0.59	4.1	3.5	136.0	-0.35	4.7	3.5	12	EM	
ZFL49Y	146.2	139.4	138.4	137.2	140.3	0.24	4.7	4.0	140.5	0.27	4.2	2.8	12	TH	
ZHC6DM	143.2	143.6	143.9	142.5	143.3	0.55	3.4	0.6 L	143.4	0.67	3.1	0.6 L	12	LD	
					Consensus (All Labs) Results										
Wk Mean	138.54	138.41	138.60	138.05	Month Mean				138.05	Grand Mean				138.57	
Avg SDr	5.06	4.99	5.59	4.87	Avg SD				5.33	Avg SD				5.44	
SD btwn Labs	10.02	9.97	8.74	9.78	SD btwn Labs				9.46	SD btwn Labs				7.24	
Labs Incld	53	54	51	52	SD btwn Wks				5.69	SD btwn Wks				5.73	
Labs Excld	2	0	2	1	Labs Incld				55	Labs Incld				52	
Labs not Rcvd	0	1	2	2											



Containerboard Interlaboratory Testing Program

Analysis 216

Ring Crush, 56 lb Linerboard - 56A2

TAPPI Official Test Method T822

Report #588 (K)

September 2018

Key to Instrument Codes Reported by Participants

EM	Emerson 1200	EN	Emerson 2200
EX	Emerson (model not specified)	LC	L&W Crush Tester 48
LD	L&W Crush Tester 248	LY	L&W Crush Tester 958
LZ	L&W Crush Tester (model not specified)	MB	Messmer Buchel K440
MZ	Messmer Buchel (model not specified)	TD	TMI Digital Crush Tester, Model 17-09
TH	TMI Compression Tester, Model 17-76	TU	TMI Universal Crush Tester (TMI K440)
XX	Instrument make/model not specified by lab		



Containerboard Interlaboratory Testing Program

Analysis 223

STFI, 42 lb Linerboard - 42D3

TAPPI Official Test Method T826

Report #588 (K)

September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results											
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst						
2HMMRC	21.5	23.1	22.9	24.2	22.9	0.48	2.1	1.1	25.2	3.19	X	2.0	3.3	H	16	LW				
2MJ9LZ	25.1	*	24.3	25.5	*	23.1	24.5	2.01	*	2.0	1.1	23.7	1.34	1.9	1.2	16	LU			
38KJ39	23.2	L	20.9	23.1	22.0	22.3	-0.11	1.9	1.1	22.5	0.01	1.8	0.9	16	LA					
3BZ443	22.6	23.1	23.2	22.1	22.7	0.31	2.0	0.5	23.2	0.78	1.9	0.5	16	LA						
3D94BV	22.0	H	21.9	20.1	21.7	H	21.4	-0.97	2.8	0.9	23.1	0.66	2.2	2.7	H	16	LA			
4EVAYK	21.1	21.0	21.9	22.1	21.5	-0.86	2.4	0.6	21.7	-0.96	2.3	1.0	12	LH						
4EXY4G	24.8	*	23.3	23.1	24.4	23.9	1.45	1.9	0.8	23.0	0.53	1.9	1.2	16	LZ					
4FU9HT	22.6	23.7	23.0	23.4	23.2	0.74	1.9	0.5	23.1	0.69	2.0	0.6	16	LA						
63GRNT	23.0	23.1	23.1	21.8	22.8	0.34	1.5	0.6	22.3	-0.30	1.7	0.6	16	LA						
72HQEU	20.5	20.6	L	20.6	20.7	20.6	-1.76	1.3	0.1	L	20.7	-2.20	*	1.5	0.5	16	LY			
7VU7BE	23.6	23.0	23.6	23.6	23.5	1.01	1.5	0.3	23.5	1.19	1.6	0.9	16	LH						
94ZRC	45.5	XH	24.0	23.9	19.8	*	28.3	5.70	X	2.4	11.6	H	26.2	4.37	X	2.6	8.7	H	12	XX
96X38G	20.5	21.4	18.2	XL	23.0	20.8	-1.61	1.8	2.0	H	22.1	-0.52	2.1	1.5	16	XX				
9FEPGG	21.6	21.2	L	22.1	22.9	22.0	-0.45	2.0	0.8	22.8	0.36	1.9	1.1	8	LA					
9GBZCK	22.1	22.7	22.3	22.1	22.3	-0.12	1.9	0.3	22.6	0.11	2.0	1.2	16	LA						
ACEQN4	19.2	*	25.3	*	25.2	*	24.4	23.5	1.08	1.9	2.9	H	23.2	0.77	2.0	1.5	16	LA		
AWYTH4	20.3	21.3	22.1	21.0	L	21.2	-1.20	1.4	0.7	21.7	-0.94	1.4	0.6	16	BK					
C93T8R	23.2	23.4	L	23.5	35.6	X	26.4	3.90	X	1.9	6.1	H	23.9	1.63	1.8	3.2	H	16	ID	
DAC4GG	20.7	L	22.5	21.0	21.0	21.3	-1.10	1.7	0.8	21.0	-1.87	1.8	0.6	16	LH					
DYUL6X	21.8	20.3	20.7	20.0	*	20.7	-1.70	1.8	0.8	21.1	-1.67	1.9	0.6	16	LY					
EFWLAH	22.0	23.0	21.8	22.1	22.2	-0.21	1.9	0.5	22.2	-0.40	1.9	0.5	4	LY						
G6AKNT	21.8	21.0	22.0	21.6	21.6	-0.79	1.7	0.4	21.3	-1.49	1.8	0.7	16	LU						
GLFJYH	22.4	22.3	21.3	22.2	22.1	-0.36	1.9	0.5	22.5	-0.08	1.8	0.8	16	LY						
HCKBJJ	22.2	L	22.8	L	22.1	22.6	0.03	1.2	0.3	22.3	-0.33	1.2	0.3	16	TT					
HJ2LWK	20.3	L	20.8	21.3	No DATA	20.8	-1.59	1.7	0.5	21.1	-1.66	2.0	1.0	14	LY					
HRYAXH	21.4	23.4	22.4	23.0	L	22.6	0.13	1.5	0.8	22.6	0.07	1.6	0.7	16	LA					
HV2AWU	23.0	23.4	L	24.7	L	22.2	23.3	0.89	1.6	1.1	22.9	0.41	1.9	0.9	16	LA				
J4A22H	26.2	XH	25.0	24.7	23.7	24.9	2.42	*	2.4	1.0	25.5	3.52	X	2.4	4.6	H	13	LZ		
K6DDWN	23.4	24.1	22.5	21.6	22.9	0.49	1.7	1.1	23.4	1.06	2.0	0.9	16	LA						
LEKD6Q	21.7	21.8	L	21.2	22.2	21.7	-0.67	1.9	0.4	21.3	-1.43	1.8	0.5	16	LZ					
LJE86C	23.1	23.5	22.7	L	22.9	23.1	0.63	1.8	0.4	23.4	1.03	1.9	0.4	16	LW					
LPC4J3	21.5	20.3	20.9	21.1	20.9	-1.43	1.7	0.5	20.9	-1.98	*	1.8	0.7	8	LH					
LR9FNH	22.0	L	20.9	L	21.5	22.3	-0.72	1.2	0.6	22.1	-0.54	1.6	0.5	16	LA					
LWGXLB	22.3	H	22.7	H	22.4	H	22.4	0.02	7.4	0.2	22.6	0.05	4.2	0.5	14	LA				
MAJN4A	22.2	21.6	23.3	22.0	22.3	-0.13	1.8	0.7	22.6	0.10	1.7	0.5	16	LY						



Containerboard Interlaboratory Testing Program

Analysis 223

STFI, 42 lb Linerboard - 42D3

TAPPI Official Test Method T826

Report #588 (K)

September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results						
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
NC6V2B	22.8	22.8	23.9	24.1	23.4	0.95	2.2	0.7	23.4	0.98	2.1	1.4	16	LU	
PGUR2L	22.4	22.3	21.7	21.3	21.9	-0.46	2.2	0.5	21.8	-0.81	2.0	0.5	16	LW	
PQGQUC	24.1	23.2	22.6	24.6	23.6	1.17	2.0	0.9	23.5	1.13	2.1	0.7	16	LU	
PWN237	23.2	22.3	21.8	23.5	22.7	0.27	1.9	0.8	23.0	0.51	1.8	0.8	15	LA	
QJBL97	21.9	22.7	22.6	22.9	22.5	0.12	1.9	0.4	22.3	-0.30	2.0	0.5	16	LU	
QR6J4L	23.8	23.8	21.8	24.3	23.4	0.97	1.8	1.1	23.3	0.95	1.7	1.5	16	XX	
RFCGZK	21.5	19.8 *	22.1	21.7	21.3	-1.12	1.6	1.0	22.0	-0.61	1.9	0.9	16	LW	
RMQA8A	21.6 L	22.8 L	21.6 L	23.0	22.3	-0.16	1.1	0.7	22.4	-0.11	1.2	0.4	16	TT	
RY9NV7	21.3	20.3	22.3	22.8	21.7	-0.72	1.9	1.1	22.3	-0.31	1.7	1.0	10	LW	
TEHTKA	22.2 L	24.1 L	No Data	No Data	23.2	0.72	0.0	1.3	22.9	0.42	0.0	1.4	4	TT	
THVUG2	23.0 H	No Data	No Data	22.9 H	22.9	0.51	3.5	0.1	22.5	-0.03	3.2	1.1	14	LH	
TLV6BF	22.1	25.2 *	24.7	24.9 *	24.2	1.77	2.0	1.4	24.1	1.88	2.3	1.3	16	LU	
TUQ6P9	23.0	24.2	23.5	22.7 L	23.3	0.91	1.7	0.6	23.8	1.50	1.9	0.6	16	XX	
UAVV6H	24.6 *	23.8	23.5	23.7	23.9	1.44	2.3	0.5	23.8	1.46	2.2	1.1	16	LH	
UGHJ29	23.5	23.1	22.5	23.5	23.1	0.70	1.8	0.5	23.5	1.10	2.2	1.2	16	LA	
UHP2Z6	21.5 L	22.3	21.7	22.5	22.0	-0.39	1.8	0.5	22.1	-0.51	1.8	0.5	16	LY	
VDW3LA	20.9	21.6	20.8	22.0	21.3	-1.08	1.9	0.6	21.6	-1.17	1.8	0.5	16	LU	
WXVR83	22.4	21.5	22.1	21.4	21.9	-0.54	1.7	0.5	22.2	-0.38	1.8	0.6	16	LA	
X4XBTX	22.2	21.2 L	21.1	20.8	21.3	-1.07	1.5	0.6	21.1	-1.75	1.8	0.5	16	LA	
XK3P4Z	21.8	21.4	20.4	20.7	21.1	-1.31	1.9	0.6	21.8	-0.91	1.8	0.9	16	LA	
ZHC6DM	22.6	22.5	22.7	22.5 L	22.6	0.16	1.3	0.1 L	22.6	0.13	1.3	0.2 L	16	LA	
ZUHH9R	22.7	24.7	21.6 L	24.4	23.4	0.91	1.9	1.5	23.0	0.54	2.1	1.1	16	LH	
					Consensus (All Labs) Results										
Wk Mean	22.25	22.54	22.42	22.50	Month Mean				22.42	Grand Mean				22.53	
Avg SDr	1.92	2.18	2.15	2.09	Avg SD				2.11	Avg SD				1.97	
SD btwn Labs	1.15	1.35	1.23	1.20	SD btwn Labs				1.03	SD btwn Labs				0.84	
Labs Incld	55	56	54	54	SD btwn Wks				0.88	SD btwn Wks				1.03	
Labs Excld	2	0	1	1	Labs Incld				55	Labs Incld				53	
Labs not Rcvd	0	1	2	2											



Containerboard Interlaboratory Testing Program
Analysis 223
STFI, 42 lb Linerboard - 42D3
TAPPI Official Test Method T826

Report #588 (K)
September 2018

Key to Instrument Codes Reported by Participants

BK	Buchel Strip Compression Tester BK-155	ID	IDM Compression Tester
LA	L&W Autoline	LH	L&W 282
LU	L&W 52 without moisture correction(was 53)	LW	L&W 53 with moisture correction (was 53M)
LY	L&W 152 without moisture correction	LZ	L&W (model not specified)
TT	TMI Short Span Compression, 17-34 (MB K455)	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program

Analysis 224

STFI, 56 lb Linerboard - 56A2

TAPPI Official Test Method T826

Report #588 (K)

September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
2HMMRC	30.0	33.5	35.8	34.6	33.5	-0.41	2.7	2.5	33.9	-0.33	4.0	2.2	12	LW
2MJ9LZ	36.9	38.5 *	37.7 *	37.9 *	37.7	1.98 *	3.1	0.7	36.8	1.81	2.9	1.3	12	LU
38KJ39	33.9	32.8	34.5	36.2	34.4	0.08	2.4	1.4	34.2	-0.12	2.6	1.0	12	LA
3BZ443	35.7	35.9	34.4	35.2	35.3	0.61	3.0	0.6	35.4	0.74	2.9	0.6	12	LU
3D94BV	33.6	32.9	33.2	32.9	33.2	-0.59	2.7	0.4	34.0	-0.27	2.8	1.0	12	LA
4EVAYK	30.0	29.0 *	30.3 *	28.8 X	29.5	-2.62 *	2.6	0.7	30.9	-2.44 *	2.6	1.7	8	LH
4EXY4G	36.4	33.7 H	35.4	34.2	34.9	0.40	3.5	1.2	35.1	0.59	3.1	1.2	12	LZ
4FU9HT	33.7	33.7	35.8	34.0	34.3	0.06	2.5	1.0	34.5	0.11	2.7	0.7	12	LA
63GRNT	34.3	34.0	35.6 L	34.5	34.6	0.22	2.3	0.7	34.4	0.07	2.6	0.9	12	LA
72HQEU	31.0	30.8	30.9 *	31.2	31.0	-1.80	2.0	0.2 L	31.3	-2.18 *	2.0	0.6	12	LY
7VU7BE	35.6	34.8	35.4	34.8	35.2	0.54	2.4	0.4	36.2	1.36	2.6	1.4	8	LH
94ZRC	51.3 XH	34.0	36.1 H	33.1	38.6	2.46 *	4.0	8.5 H	36.3	1.39	2.9	5.3 H	10	XX
96X38G	29.3 *	33.1	28.2 X	36.8	31.8	-1.32	2.8	3.9 H	34.7	0.27	3.1	3.2 H	12	XX
9FEPGG	31.8	33.4 L	34.9 H	35.4	33.9	-0.19	3.0	1.6	33.9	-0.33	3.0	1.6	4	LA
9GBZCK	35.0	32.7	34.0	34.7	34.1	-0.06	2.7	1.0	34.2	-0.06	2.6	0.8	12	LA
ACEQN4	31.6	39.5 *L	38.2 *	36.7	36.5	1.28	3.0	3.5 H	35.7	0.98	3.2	2.5	12	LA
AWYTH4	31.3	32.9	32.5 L	32.1	32.2	-1.12	1.5	0.7	32.3	-1.45	2.2	1.1	12	BK
C93T8R	35.6	36.1	35.7	35.2	35.7	0.81	2.4	0.4	35.1	0.57	2.5	0.5	12	ID
DAC4GG	31.5	32.5	31.8	31.0	31.7	-1.40	2.6	0.6	32.2	-1.50	2.7	0.8	12	LH
DYUL6X	31.6	32.2	33.0	31.0 *	32.0	-1.26	2.6	0.8	31.7	-1.88	2.4	0.9	12	LY
EFWLAH	35.9 H	35.1	35.6	36.1	35.7	0.82	3.3	0.4	35.7	0.98	3.3	0.4	4	LY
G6AKNT	33.7	33.4	32.6	32.4	33.0	-0.67	2.5	0.6	32.8	-1.13	3.0	0.8	12	LU
GLFJYH	34.4	33.9	35.6	35.7	34.9	0.39	2.7	0.9	34.5	0.15	2.6	0.7	12	LY
HCKBJJ	33.6 L	33.9	33.2	33.4	33.5	-0.37	1.8	0.3	33.5	-0.58	1.6	0.3 L	12	TT
HJ2LWK	31.7	31.3	31.5	No DATA	31.5	-1.51	2.3	0.2 L	32.2	-1.56	2.7	0.7	9	LZ
HRYAXH	35.7	34.2	33.0	33.0	34.0	-0.13	2.7	1.3	35.7	0.99	3.4	1.9	12	LA
HV2AWU	32.8	33.9	34.2	33.6	33.6	-0.32	2.4	0.6	35.0	0.49	2.7	1.4	12	XX
J4A22H	39.5 *	38.7 *	36.7	38.2 *	38.2	2.26 *	2.9	1.2	37.0	1.91	3.1	3.8 H	9	LZ
K6DDWN	35.4	33.9 L	34.2	36.3	35.0	0.42	2.6	1.1	35.2	0.64	2.7	1.3	12	LA
LEKD6Q	32.4	34.3	32.3	33.8	33.2	-0.56	2.5	1.0	33.1	-0.86	2.4	0.7	12	LZ
LJE86C	35.3	36.1	35.0	36.1	35.6	0.80	2.6	0.6	35.2	0.64	2.5	0.6	12	LW
LPC4J3	33.6	30.7 L	31.5	32.0	31.9	-1.26	2.6	1.2	31.9	-1.71	2.6	1.2	4	LH
LR9FNH	37.6	33.9	33.0 L	34.3 L	34.7	0.28	1.6	2.0	34.0	-0.24	2.3	1.4	12	LA
LWGXLB	34.4 H	35.8	36.5	33.9	35.2	0.53	3.3	1.2	34.9	0.44	2.5	0.9	12	LW
MAJN4A	35.3	33.8	36.4	34.0	34.9	0.38	2.7	1.2	34.9	0.38	2.5	0.7	12	LU



Containerboard Interlaboratory Testing Program

Analysis 224

STFI, 56 lb Linerboard - 56A2

TAPPI Official Test Method T826

Report #588 (K)

September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results						
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst	
NC6V2B	36.4	34.1	35.7	33.8	35.0	0.44	3.1	1.3	34.9	0.42	3.0	1.6	12	LU	
PGUR2L	33.6	33.5	33.8	33.8	33.7	-0.31	2.7	0.1 L	33.6	-0.49	2.8	0.9	12	LW	
PQGQUC	37.0	37.5	34.4	36.7	36.4	1.22	3.3	1.3	36.4	1.47	3.0	1.2	12	LU	
PWN237	33.3	34.8	34.5	34.5	34.3	0.05	2.8	0.6	34.3	0.02	2.7	1.0	10	LA	
QJBL97	34.3	33.8	33.1	33.5	33.7	-0.29	2.7	0.5	33.9	-0.30	2.6	0.5	12	LU	
QR6J4L	37.8	36.0	33.2	36.8	35.9	0.97	2.4	2.0	34.6	0.17	2.3	2.1	8	XX	
RFCGZK	31.6	31.7	34.1	33.4	32.7	-0.83	3.0	1.2	34.3	0.00	3.1	1.6	12	LW	
RMQA8A	34.1 L	33.2 L	33.8 L	33.9	33.8	-0.25	1.6	0.4	33.7	-0.44	1.5	0.3 L	12	TT	
RY9NV7	32.2	32.8	32.6	33.8	32.8	-0.77	3.3	0.7	33.4	-0.69	2.8	0.8	8	LW	
TEHTKA	33.8 L	32.3 L	No Data	No Data	33.0	-0.66	0.0	1.1	33.0	-0.94	0.0	1.1	2	LZ	
THVUG2	34.6 L	No Data	No Data	31.8	33.2	-0.55	1.7	2.0	33.7	-0.45	3.5	0.9	10	LH	
TLV6BF	37.3	37.5	34.5	36.4	36.4	1.24	3.0	1.4	36.5	1.56	3.0	1.3	8	LU	
TUQ6P9	37.0	37.4	36.0	36.3	36.7	1.39	3.1	0.6	36.0	1.22	3.0	2.0	12	LU	
UAVV6H	35.4	36.7	35.9	35.6	35.9	0.95	2.7	0.5	35.5	0.86	2.8	1.3	12	LH	
UGHJ29	36.1	34.3	36.2	36.6	35.8	0.90	3.3	1.0	35.7	1.02	3.2	0.8	8	LA	
UHP2Z6	34.8	33.4	34.4	33.9	34.1	-0.04	2.5	0.6	34.2	-0.12	2.5	0.7	12	LZ	
VDW3LA	32.8	36.2	33.7 L	32.3	33.7	-0.25	2.0	1.7	33.5	-0.62	2.2	1.2	12	LU	
WXVR83	33.3	32.1	33.6	34.1	33.3	-0.51	2.6	0.9	33.7	-0.42	2.6	0.9	12	LA	
X4XBTX	31.8	31.6	32.7	31.9	32.0	-1.24	3.1	0.5	32.0	-1.67	2.7	1.0	12	LA	
XK3P4Z	31.6	31.8	33.1	33.0	32.4	-1.02	2.0	0.8	33.4	-0.65	2.1	1.1	12	LA	
ZHC6DM	34.3	34.6	34.5	34.3	34.4	0.11	2.5	0.1 L	34.5	0.11	2.4	0.2 L	12	LA	
ZUHH9R	34.7	35.5	35.6	36.2	35.5	0.71	2.8	0.6	35.1	0.57	3.2	1.6	12	LH	
					Consensus (All Labs) Results										
Wk Mean	34.07	34.10	34.30	34.39	Month Mean				34.20	Grand Mean				34.32	
Avg SDr	2.68	2.73	2.71	2.61	Avg SD				2.70	Avg SD				2.76	
SD btwn Labs	2.18	2.07	1.69	1.75	SD btwn Labs				1.79	SD btwn Labs				1.39	
Labs Incld	56	56	54	54	SD btwn Wks				1.67	SD btwn Wks				1.51	
Labs Excld	1	0	1	1	Labs Incld				57	Labs Incld				56	
Labs not Rcvd	0	1	2	2											



Containerboard Interlaboratory Testing Program
Analysis 224
STFI, 56 lb Linerboard - 56A2
TAPPI Official Test Method T826

Report #588 (K)
September 2018

Key to Instrument Codes Reported by Participants

BK	Buchel Strip Compression Tester BK-155	ID	IDM Compression Tester
LA	L&W Autoline	LH	L&W 282
LU	L&W 52 without moisture correction (was 53)	LW	L&W 53 with moisture correction (was 53M)
LY	L&W 152 with moisture correction	LZ	L&W (model not specified)
TT	TMI Short Span Compression, 17-34 (MB K455)	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program

Analysis 228

Roughness - Stylus Method, 56 lb Linerboard - 56A

TAPPI Official Test Method T575

Report #588 (K)

September 2018

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
2MJ9LZ	150.0	-0.60	12.68	156.1	-0.70	4.20	4	EV	
3D94BV	177.5	0.66	34.80	H	184.7	1.37	5.46	4	LA
94ZRCD	210.8	2.19 *	42.52	H	233.1	4.86 X	21.64 H	4	EV
A76RUP	144.0	-0.88	12.39		148.6	-1.24	6.71	4	EV
ACEQN4	152.1	-0.50	23.53		151.8	-1.01	10.27	4	LA
DYUL6X	167.1	0.19	22.78		171.1	0.39	3.36	4	EV
G6AKNT	172.8	0.45	15.10		176.7	0.79	2.93	4	EV
HJ2LWK	178.3	0.70	17.37		158.8	-0.50	15.06	4	LA
J4A22H	165.1	0.09	16.08		170.5	0.34	5.45	3	XX
K6DDWN	150.8	-0.56	18.65		160.7	-0.37	6.69	4	LA
LWGXLB	171.8	0.40	20.33		174.8	0.65	4.75	4	LA
PGUR2L	149.1	-0.64	13.92		170.3	0.33	14.84	4	EV
PQGQUC	129.5	-1.54	8.30	L	132.6	-2.39 *	8.82	4	EV
PWN237	187.7	1.13	24.92		189.7	1.73	7.99	4	LA
RFCGZK	158.2	-0.22	12.83		168.1	0.17	7.62	4	XX
THVUG2	109.8	-2.44 *	9.17		112.4	-3.86 X	4.43	4	EV
UGHJ29	150.3	-0.59	19.49		155.1	-0.77	4.21	4	LA
UHP2Z6	185.9	1.05	12.71		182.6	1.21	2.99	3	EV
WXVR83	177.7	0.67	24.68		172.8	0.50	11.99	4	LA
X4XBTX	172.6	0.44	10.13		159.4	-0.46	15.39	4	EV
ZHC6DM	163.3	0.01	15.92		165.4	-0.03	1.54	4	XX
Consensus (All Labs) Results									
Month Mean	163.07			Grand Mean	165.77				
Avg SD	20.23			Avg SD Months	8.50				
SD btwn Labs	21.80			SD btwn Labs	13.84				
Labs Incl'd	21			Labs Incl'd	19				

Key to Instrument Codes Reported by Participants

EV Emveco Microgage Model 210-R

LA L&W Autoline

XX Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 229

Roughness - Sheffield Method, 42 lb Linerboard - 42D3
TAPPI Official Test Method T538

Report #588 (K)
September 2018

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
38KJ39	374.5	0.66	7.62	371.2	0.45	6.39	4	4	LA
47LXQT	358.8	-1.17	6.48	354.1	-1.09	3.46	4	4	LA
4EXY4G	374.6	0.67	12.51	373.0	0.62	6.62	4	4	XX
4FU9HT	370.3	0.17	8.30	372.2	0.54	2.43	4	4	LA
63GRNT	363.4	-0.63	7.17	358.1	-0.74	3.74	4	4	LA
EFWLAH	383.2	1.67	7.17	383.2	1.54	0.00	1	1	PP
HRYAXH	365.4	-0.40	5.06	365.1	-0.10	0.55	L	4	XX
M94E6G	356.4	-1.46	9.27	347.6	-1.68	15.93	H	4	TS
QJBL97	373.1	0.49	8.50	371.3	0.46	2.74	4	4	XX
Consensus (All Labs) Results									
Month Mean	368.86			Grand Mean	366.19				
Avg SD	8.25			Avg SD Months	6.87				
SD btwn Labs	8.58			SD btwn Labs	11.07				
Labs Incl'd	9			Labs Incl'd	9				

Key to Instrument Codes Reported by Participants

LA L & W Roughness Sheffield - Autoline
TS TMI Monitor/Smoothness

PP Technidyne Profile/Plus
XX Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 231
Internal Bond, 35 lb Linerboard - 35E
TAPPI Official Test Method T569

Report #588 (K)
September 2018

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
2MJ9LZ	166.0	-0.33	15.86	166.0	-0.33	0.00	1	TM	
38KJ39	180.2	0.39	8.68	180.2	0.39	0.00	1	SC	
3BZ443	173.4	0.04	11.15	173.4	0.04	0.00	1	TM	
3D94BV	202.0	1.49	23.74	202.0	1.49	0.00	1	SC	
4FU9HT	55.9	-5.89 X	2.37 L	55.9	-5.89 X	0.00	1	LZ	
6MNZ27	186.2	0.69	12.11	186.2	0.69	0.00	1	SC	
A76RUP	190.4	0.90	16.95	190.4	0.90	0.00	1	HY	
ACEQN4	178.0	0.28	13.51	178.0	0.28	0.00	1	SC	
EFWLAH	196.0	1.19	3.16	196.0	1.19	0.00	1	HY	
G6AKNT	148.6	-1.21	9.86	148.6	-1.21	0.00	1	TM	
HRYAXH	168.6	-0.20	11.91	168.6	-0.20	0.00	1	SC	
J4A22H	162.4	-0.51	7.47	162.4	-0.51	0.00	1	TM	
LR9FNH	157.2	-0.77	5.76	157.2	-0.77	0.00	1	TM	
LWGXLB	205.8	1.68	16.51	205.8	1.68	0.00	1	HY	
NC6V2B	186.4	0.70	11.93	186.4	0.70	0.00	1	HZ	
PQGQUC	155.8	-0.84	11.76	155.8	-0.84	0.00	1	TM	
QJBL97	201.6	1.47	11.40	201.6	1.47	0.00	1	HY	
QR6J4L	141.4	-1.57	11.64	141.4	-1.57	0.00	1	SC	
RDK9A4	163.3	-0.46	4.48	163.3	-0.46	0.00	1	TM	
UHP2Z6	140.5	-1.62	13.96	140.5	-1.62	0.00	1	XX	
X4XBTX	155.6	-0.85	18.31	155.6	-0.85	0.00	1	TM	
XK3P4Z	163.6	-0.45	6.50	163.6	-0.45	0.00	1	TM	
Consensus (All Labs) Results									
Month Mean		172.52		Grand Mean		172.52			
Avg SD		12.69		Avg SD Months		0.00			
SD btwn Labs		19.81		SD btwn Labs		19.81			
Labs Incl'd		21		Labs Incl'd		21			

Consensus By Method

Test Method	Group Mean	SD btwn Group	Difference from Grand Mean	Labs Included
Scott Bond Type	169.24	17.79	3.28	19
Modified Scott Bond Mechanics	203.68	3.00	31.16	2



Containerboard Interlaboratory Testing Program
Analysis 231
Internal Bond, 35 lb Linerboard - 35E
TAPPI Official Test Method T569

Report #588 (K)
September 2018

Key to Instrument Codes Reported by Participants

HY	Huygen Digitized Scott Internal Bond Tester	HZ	Huygen Internal Bond Tester with AccuPress
LZ	L&W (model not specified)	SC	Scott Internal Bond Tester (Manual)
TM	TMI Monitor/Internal Bond Tester	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 234

Report #588 (K)
September 2018

COF Inclined Plane (Slide Angle), 56 lb Linerboard - 56A
TAPPI Official Test Method T815

WebCode	Monthly Results			Cumulative Results				
	Mean	CPV	SD	Mean	CPV	SD	Months	Months
2MJ9LZ	29.9	1.06	2.92	28.4	0.60	2.58	4	
3D94BV	31.2	1.44	3.42	30.8	1.44	1.07	4	
4EXY4G	28.0	0.52	2.15	29.9	1.12	2.25	4	
4FU9HT	26.6	0.12	1.14	27.8	0.38	3.95	4	
9GBZCK	26.8	0.17	3.03	29.0	0.82	2.11	4	
ACEQN4	21.2	-1.44	1.30	21.4	-1.89	0.19	L	4
DYEJXP	30.7	1.29	3.99	31.4	1.66	1.31	4	
DYUL6X	22.3	-1.11	1.90	26.2	-0.17	2.88	4	
EFWLAH	23.9	-0.66	3.54	23.9	-0.99	0.00	1	
G6AKNT	28.2	0.57	2.59	27.9	0.42	2.99	4	
HRYAXH	27.0	0.23	2.35	26.7	0.00	2.45	4	
J4A22H	23.1	-0.90	0.92	22.6	-1.45	1.26	3	
LEKD6Q	23.4	-0.80	1.14	24.1	-0.94	0.50	4	
LJE86C	29.0	0.80	3.54	28.6	0.68	2.06	4	
LWGXLB	24.4	-0.52	3.85	24.5	-0.78	0.66	4	
PGUR2L	18.4	-2.24 *	0.89	24.6	-0.74	4.14	4	
PQGQUC	29.6	0.98	4.16	28.7	0.69	1.00	4	
QJBL97	27.3	0.30	2.80	26.3	-0.15	1.37	4	
RFCGZK	23.8	-0.69	0.84	25.5	-0.42	2.25	4	
TUQ6P9	24.8	-0.40	6.75 H	27.3	0.22	3.20	4	
U6MBJ7	31.2	1.44	3.63	29.4	0.95	2.15	3	
UHP2Z6	19.0	-2.07 *	0.71	20.1	-2.34 *	1.58	4	
WXVR83	28.4	0.63	5.10	28.4	0.62	1.59	4	
X4XBTX	29.0	0.80	3.81	29.9	1.14	2.84	4	
XK3P4Z	28.0	0.53	1.90	24.5	-0.77	2.79	4	
ZHC6DM	26.2	0.00	0.45 L	26.4	-0.12	0.19 L	4	
ZUHH9R	26.0	-0.06	3.54	26.8	0.04	1.21	4	
Consensus (All Labs) Results								
Month Mean	26.20			Grand Mean	26.69			
Avg SD	3.06			Avg SD Months	2.21			
SD btwn Labs	3.48			SD btwn Labs	2.82			
Labs Incl'd	27			Labs Incl'd	27			

Key to Instrument Codes Reported by Participants

ZZ Instruments No Longer Tracked



Containerboard Interlaboratory Testing Program

Analysis 237

Air Resistance, 35 lb Linerboard - 35E

TAPPI Official Test Method T460

Report #588 (K)

September 2018

WebCode	Monthly Results			Cumulative Results					
	Mean	CPV	SD	Mean	CPV	SD	Months	Months	Inst
2MJ9LZ	30.2	0.82	1.22	30.2	0.82	0.00	1	1	LA
38KJ39	30.4	0.92	2.19	30.4	0.92	0.00	1	1	LA
3D94BV	27.7	-0.47	2.51	27.7	-0.47	0.00	1	1	LA
4EXY4G	30.6	1.02	2.67	30.6	1.02	0.00	1	1	XX
4FU9HT	31.6	1.52	1.63	31.6	1.52	0.00	1	1	LA
72HQEU	26.6	-1.04	0.97	26.6	-1.04	0.00	1	1	LP
7XQFPP	28.5	-0.06	2.03	28.5	-0.06	0.00	1	1	LP
94ZRCD	27.5	-0.57	2.92	27.5	-0.57	0.00	1	1	LW
ACEQN4	26.2	-1.25	3.29	26.2	-1.25	0.00	1	1	LA
D8L63H	28.3	-0.16	2.58	28.3	-0.16	0.00	1	1	GG
DYEJXP	31.8	1.66	2.06	31.8	1.66	0.00	1	1	GA
EFWLAH	26.7	-1.00	2.91	26.7	-1.00	0.00	1	1	LA
J4A22H	25.1	-1.83	2.48	25.1	-1.83	0.00	1	1	TD
K6DDWN	28.7	0.04	2.87	28.7	0.04	0.00	1	1	LA
LEKD6Q	28.1	-0.29	1.74	28.1	-0.29	0.00	1	1	LP
LJE86C	29.2	0.30	2.35	29.2	0.30	0.00	1	1	LP
LWGXLB	32.4	1.95 *	2.27	32.4	1.95 *	0.00	1	1	LP
NMLFK8	28.0	-0.30	2.10	28.0	-0.30	0.00	1	1	TL
PGUR2L	24.5	-2.12 *	2.10	24.5	-2.12 *	0.00	1	1	XX
PQGQUC	29.3	0.37	1.62	29.3	0.37	0.00	1	1	LA
QJBL97	28.9	0.15	3.00	28.9	0.15	0.00	1	1	TP
TUQ6P9	27.4	-0.61	2.33	27.4	-0.61	0.00	1	1	LA
UHP2Z6	29.5	0.45	2.24	29.5	0.45	0.00	1	1	LP
X4XBTX	28.5	-0.06	2.42	28.5	-0.06	0.00	1	1	LP
XK3P4Z	28.3	-0.14	1.85	28.3	-0.14	0.00	1	1	LA
ZHC6DM	30.0	0.70	2.39	30.0	0.70	0.00	1	1	LA
Consensus (All Labs) Results									
Month Mean		28.62		Grand Mean		28.62			
Avg SD		2.32		Avg SD Months		0.00			
SD btwn Labs		1.94		SD btwn Labs		1.94			
Labs Incl'd		26		Labs Incl'd		26			



Containerboard Interlaboratory Testing Program

Analysis 237

Air Resistance, 35 lb Linerboard - 35E


TAPPI Official Test Method T460

Report #588 (K)

September 2018

Key to Instrument Codes Reported by Participants

GA	Gurley Precision #4340 Automatic Densometer	GG	Gurley Precision #4320 Densometer
LA	L&W Autoline	LP	L&W Air Permeance Tester SE 166
LW	L&W Gurley Densometer, Oil Flotation	TD	TMI Gurley Densometer
TL	Teledyne Gurley Densometer #4110, Oil Flotation	TP	Technidyne Profile/ plus Roughness & Porosity
XX	Instrument make/model not specified by lab		

Containerboard Interlaboratory Testing Program
Analysis 240Report #588 (K)
September 2018Flat Crush Strength (CMT), 26 lb Corrugating Medium - CM92
TAPPI Official Test Method T809

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
293BFY	65.7 *	66.9 *	66.9 *	67.9 *	66.9	2.27 *	3.0	0.9	66.8	2.49 *	3.5	1.7	16	LC
2MJ9LZ	63.3	61.8	62.8	63.2	62.8	0.86	3.4	0.7	60.4	0.09	3.4	3.1	16	XX
3BZ443	60.5	61.2	60.5 L	61.6 L	61.0	0.24	1.8	0.5	61.8	0.61	2.9	1.7	16	LC
3L3FYW	76.4 X	74.9 X	71.1 X	74.5 X	74.2	4.82 X	3.1	2.2	72.0	4.41 X	4.3	3.4	16	MB
4EVAYK	56.2	56.7	56.9	56.6	56.6	-1.28	2.4	0.3	55.7	-1.65	2.3	1.2	12	TH
4EXY4G	59.8	59.7	60.5	58.2	59.6	-0.25	3.1	0.9	59.3	-0.30	2.8	1.0	16	LZ
4FU9HT	56.0 L	54.3 *	51.8 X	53.6 *	53.9	-2.19 *	2.3	1.7	53.5	-2.48 *	2.5	2.1	16	LD
7F7NN6	60.7	59.9	60.9	60.5	60.5	0.08	3.5	0.4	60.5	0.13	3.4	0.5 L	16	LC
7VU7BE	62.7	62.1	62.6	60.9	62.1	0.62	2.9	0.8	61.7	0.57	3.0	1.6	16	LD
7XQFPP	60.5	60.9	61.9	62.0	61.3	0.37	3.1	0.8	61.6	0.54	2.9	1.1	16	LD
94ZRCD	34.7 X	49.2 XH	54.5 *	58.4	49.2	-3.82 X	4.5	10.4 H	50.0	-3.76 X	4.1	8.5 H	12	XX
9GBZCK	65.2	63.8	64.5	64.3	64.5	1.44	2.8	0.6	63.1	1.11	2.9	1.7	16	LD
C93T8R	62.7	62.7	61.5	60.8	61.9	0.57	2.8	1.0	62.8	0.97	3.1	1.1	16	LD
DF3GFJ	60.5	62.1	No Data	No Data	61.3	0.36	3.6	1.1	61.9	0.66	3.2	1.3	14	LC
DYUL6X	58.5	57.1	60.2	61.0	59.2	-0.37	2.7	1.8	58.6	-0.59	2.8	1.9	16	EN
E3PZLJ	63.9	61.7 L	60.3 L	59.7	61.4	0.40	1.4	1.8	62.4	0.86	1.2	2.1	16	TD
EFWLAH	63.5	57.1	64.7	62.8	62.0	0.60	3.5	3.4 H	63.2	1.16	3.6	2.5	12	LD
FWFT6F	60.1 L	60.2 L	60.3 L	60.2	60.2	-0.03	1.3	0.1 L	60.4	0.11	1.3	0.2 L	16	LD
G6AKNT	61.0	58.3	61.3	60.6	60.3	0.00	3.2	1.4	58.8	-0.49	3.4	1.3	16	LD
GLEFYH	61.3	60.8	61.2	60.3	60.9	0.21	3.2	0.4	61.3	0.45	2.9	1.4	16	LD
HCK2XE	61.4	60.7	61.2	60.6	61.0	0.25	2.7	0.4	60.8	0.26	2.8	0.9	16	EM
HJ2LWK	57.5	54.2 *	50.9 X	No Data	54.2	-2.10 *	3.6	3.3 H	55.6	-1.68	3.8	2.2	14	LD
HV2AWU	63.7 H	66.6 *H	64.5	67.4 *	65.6	1.83	5.1	1.7	61.6	0.55	7.3	9.6 H	16	XX
LEKD6Q	59.2	59.1	57.0	66.6	60.4	0.06	2.5	4.2 H	59.4	-0.28	3.1	2.3	16	LZ
LJE86C	60.4	64.5	64.3	65.9	63.8	1.21	3.4	2.4	62.9	1.02	3.2	1.7	16	LD
LPC4J3	54.3 *	50.9 X	55.1 *	51.9 *	53.0	-2.50 *	2.8	2.0	53.1	-2.63 *	2.7	1.5	8	TH
LR9FNH	60.1	61.9	61.0 L	60.2	60.8	0.18	2.2	0.8	58.6	-0.59	2.6	2.7	16	LC
LWGXLB	58.7	59.7	60.8	56.8	59.0	-0.45	3.3	1.7	58.4	-0.66	3.1	1.3	12	LD
MAJN4A	59.1	60.0	59.0	60.0	59.5	-0.26	3.6	0.6	60.8	0.25	3.3	1.3	16	LD
N6JZXL	59.5	61.1	60.4	60.7	60.4	0.05	3.1	0.7	60.4	0.09	3.1	0.5 L	16	LD
NC6V2B	60.9	62.4	65.6 H	62.7	62.9	0.90	4.9	2.0	61.8	0.60	6.5	2.5	16	LC
PQGQUC	62.2	62.4 H	60.9	63.6 H	62.3	0.69	4.5	1.1	60.6	0.18	3.8	3.0	16	LC
PWN237	55.5	60.9	58.5	57.9	58.2	-0.71	2.6	2.2	58.2	-0.70	2.9	2.9	15	MB
QN9Z3M	57.2	57.8	58.3	56.3	57.4	-0.99	2.1	0.9	59.3	-0.31	3.0	3.2	12	LD
QR6J4L	58.8	56.8	57.0	58.3	57.7	-0.87	3.1	1.0	58.2	-0.72	3.3	1.5	16	LC



Containerboard Interlaboratory Testing Program
Analysis 240


Report #588 (K)
September 2018

Flat Crush Strength (CMT), 26 lb Corrugating Medium - CM92
TAPPI Official Test Method T809

WebCode	Weekly Means				Monthly Results				Cumulative Results										
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst					
RMQA8A	60.2	H	57.4	58.7	59.2	H	58.9	-0.49	4.7	1.2	59.6	-0.20	4.9	1.9	16	TG			
TEHTKA	56.9		54.8	No Data	No Data		55.9	-1.53	2.3	1.5	55.3	-1.79	3.1	1.1	4	LZ			
UAVV6H	63.4	H	62.8	62.3	60.0		62.1	0.64	4.1	1.5	62.1	0.74	3.6	1.1	16	LD			
V929N9	49.6	X	47.1	X	49.0	X	50.0	X	48.9	-3.92	X	3.1	1.3	49.1	-4.10	3.4	2.2	12	TC
VDW3LA	58.9		59.4	58.4	59.7		59.1	-0.41	3.1	0.5	61.3	0.43	3.4	1.9	16	LZ			
WTMJQX	No Data	No Data		58.6	59.9		59.3	-0.35	2.8	1.0	60.2	0.01	3.1	1.4	13	LD			
WUX964	63.1	L	63.1	63.3	63.2	L	63.2	1.01	1.6	0.1	L	62.3	0.81	1.9	0.9	16	TU		
XMTQAN	59.1		59.4	L	60.0	59.6		59.5	-0.26	1.9	0.4		60.1	0.00	2.1	0.6	L	16	TH
ZHC6DM	60.5		61.1	61.0	60.8		60.9	0.20	2.2	0.2	L	61.1	0.37	2.0	0.3	L	16	LD	
Consensus (All Labs) Results																			
Wk Mean	60.31	60.34	60.72	60.61		Month Mean		60.27		Grand Mean		60.14							
Avg SDr	3.09	3.22	3.29	2.87		Avg SD		3.11		Avg SD		3.33							
SD btwn Labs	2.64	2.95	2.75	3.30		SD btwn Labs		2.89		SD btwn Labs		2.69							
Labs Incld	40	39	38	39		SD btwn Wks		1.51		SD btwn Wks		2.31							
Labs Excld	3	4	4	2		Labs Incld		41		Labs Incld		41							
Labs not Rcvd	1	1	2	3															

Key to Instrument Codes Reported by Participants

EM	Emerson 1200 Series	EN	Emerson 2200 Series
LC	L&W Crush Tester 48	LD	L&W Crush Tester 248
LZ	L&W Crush Tester (model not specified)	MB	Messmer Buchel K440
TC	TMI Monitor/Compression Tester, 17-37	TD	TMI Digital Crush Tester, Model 17-09
TG	TMI Compression Tester, Model 17-10	TH	TMI Compression Tester, Model 17-76
TU	TMI Universal Crush Tester (TMI K440)	XX	Instrument make/model not specified by lab



Containerboard Interlaboratory Testing Program
Analysis 250

Report #588 (K)
September 2018

Fluted Edge Crush Strength (CFC), 26 lb Corrugating Medium - CM92
TAPPI Official Test Method T843

WebCode	Weekly Means				Monthly Results					Cumulative Results												
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst								
3L3FYW	70.0	69.9	71.2	70.7	70.4	-1.11	3.1	0.6	67.4	-1.96	* 3.0	3.1	16	MB								
4FU9HT	72.7	72.2	71.5	72.6	72.3	-0.37	2.3	0.5	75.1	0.72	2.4	1.9	16	LD								
7F7NN6	73.0	73.2	74.0	74.3	73.6	0.18	3.2	0.6	73.2	0.07	3.3	0.6	16	LD								
7XQFPP	76.5	76.1	75.6	76.1	76.1	1.18	2.5	0.4	75.6	0.88	2.5	1.2	16	LD								
AWYTH4	73.6	72.9	72.5	L	73.1	-0.01	1.8	0.5	72.0	-0.35	2.5	1.4	16	XX								
C93T8R	72.2	72.2	71.9	70.1	71.6	-0.64	1.8	1.0	71.3	-0.60	2.0	0.7	16	LD								
E3PZLJ	72.3	L	71.6	L	71.6	L	71.6	-0.65	0.8	0.7	72.3	-0.25	1.0	2.3	16	TD						
EFWLAH	71.2	72.9	73.3	73.9	72.8	-0.14	2.2	1.2	74.1	0.37	2.3	1.5	12	LD								
FWFT6F	73.7	L	73.6	L	73.7	L	73.6	0.19	1.1	0.0	L	73.5	0.17	1.1	0.2	L	16	LD				
LEKD6Q	72.2	H	73.7	74.6	73.9	0.16	2.7	1.0	73.5	0.17	2.6	1.4	16	LZ								
LJE86C	73.9	77.2	78.9	*	79.6	*	77.4	1.71	2.8	2.6	76.2	1.09	3.8	1.7	16	LD						
LWGXLB	77.1	77.7	*	78.3	*H	77.2	77.6	1.77	3.5	0.5	78.1	1.75	2.8	0.7	12	LD						
PQGQUC	77.8	*	62.2	XH	62.8	XH	67.4	*H	67.6	-2.28	*	6.0	7.2	H	66.7	-2.19	*	7.0	4.9	H	16	XX
VDW3LA	73.1	72.9	72.5	72.5	72.8	-0.17	2.6	0.3	L	73.6	0.18	2.2	1.5	16	LZ							
WTMJQX	NO DATA	NO DATA	73.9	73.4	73.6	0.19	1.9	0.3	72.7	-0.13	2.9	0.8	13	XX								
ZHC6DM	72.9	73.3	73.2	73.2	73.1	-0.01	2.6	0.2	L	73.3	0.08	2.5	0.4	L	16	LD						
Consensus (All Labs) Results																						
Wk Mean	73.47	73.53	73.70	73.36	Month Mean		73.17		Grand Mean		73.04											
Avg SDr	2.42	2.59	2.53	2.64	Avg SD		2.80		Avg SD		3.04											
SD btwn Labs	2.14	2.15	2.37	2.83	SD btwn Labs		2.47		SD btwn Labs		2.88											
Labs Incld	15	14	15	16	SD btwn Wks		2.01		SD btwn Wks		1.89											
Labs Excld	0	1	1	0	Labs Incld		16		Labs Incld		16											
Labs not Rcvd	1	1	0	0																		

Key to Instrument Codes Reported by Participants


LD L&W Crush Tester 248

MB Messmer Buchel K440

XX Instrument make/model not specified by lab

LZ L&W Crush Tester (model not specified)

TD TMI Digital Crush Tester, Model 17-09



Containerboard Interlaboratory Testing Program

Analysis 255

Report #588 (K)

September 2018

Ring Crush (RCT), 26 lb Corrugating Medium - CM92

TAPPI Official Test Method T822

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
293BFY	34.0 *	33.6 *	33.6 *	33.5 *	33.7	-2.20 *	2.4	0.2 L	32.6	-4.41 X	2.3	1.2	16	XX
3L3FYW	35.9	36.7	32.3 *	31.8 *	34.2	-2.08 *	2.1	2.5	33.6	-4.03 X	2.4	2.7	16	MB
4EXY4G	43.0	43.5	39.3	44.2	42.5	-0.19	2.7	2.2	42.2	-0.70	2.5	1.4	16	LD
4FU9HT	45.7	47.5	45.0	45.6	45.9	0.59	2.9	1.1	47.2	1.21	2.8	1.6	16	LD
7XQFPP	46.5	44.9	46.6	45.7	45.9	0.59	2.2	0.8	45.4	0.53	2.1	0.8	16	LD
9374TH	32.5 *	33.7 *	38.6	33.1 *	34.5	-2.02 *	2.8	2.8	38.0	-2.33 *	2.7	2.8	16	LZ
94ZRCD	62.1 X	46.1	48.7	44.6	50.3	1.59	2.7	8.0 H	44.9	0.32	3.2	6.6 H	12	XX
BD3QXK	43.8 L	44.0	44.1	43.5 L	43.8	0.12	1.2	0.3 L	44.8	0.28	1.3	0.9	16	WK
DF3GFJ	45.6	48.1	No Data	No Data	46.8	0.80	1.5	1.7	46.5	0.93	2.2	2.1	14	LC
DFEDMA	42.4	46.3	45.5 L	44.7	44.7	0.32	2.1	1.7	44.7	0.23	2.1	1.2	12	LZ
EFWLAH	47.5	49.1	47.7	49.7	48.5	1.17	2.5	1.1	46.6	0.97	2.4	1.7	12	LD
HCK2XE	47.0	46.3	45.8 L	45.9 L	46.3	0.66	1.2	0.5	45.9	0.72	1.3	0.7	16	LC
HJ2LWK	45.5	42.6	44.7	No Data	44.3	0.21	3.1	1.5	44.3	0.11	2.6	1.5	14	LD
L37F38	42.1 H	42.9 H	42.3 H	41.1 H	42.1	-0.28	5.5	0.8	42.8	-0.49	5.1	1.1	16	TX
NC6V2B	45.3	47.5 L	46.3	46.0	46.3	0.67	2.2	0.9	45.1	0.40	2.6	1.8	16	LD
QJBL97	45.0	46.1	44.1	45.1	45.1	0.40	2.8	0.8	45.7	0.65	3.0	0.9	16	LC
QN9Z3M	51.4 *	52.0	50.0	48.6	50.5	1.63	2.0	1.5	49.2	1.97 *	2.8	2.2	12	LZ
TEHTKA	41.0	41.9	No Data	No Data	41.4	-0.43	2.6	0.6	41.3	-1.05	2.4	0.6	4	EM
UAVV6H	45.7	46.6	45.1	45.8	45.8	0.56	3.0	0.6	46.7	1.02	2.7	0.9	16	LD
V929N9	41.4 H	40.0 H	40.9	42.1 H	41.1	-0.51	5.1	0.9	41.0	-1.19	5.9	1.6	12	TC
WTMJQX	No Data	No Data	41.8	40.0	40.9	-0.56	3.9	1.3	41.6	-0.96	3.7	1.4	13	LD
WUX964	42.2	42.7	42.5	42.1 L	42.4	-0.22	1.5	0.2 L	41.5	-0.99	1.8	0.6	16	TU
XMTQAN	39.3	41.0	41.2	41.1	40.7	-0.61	1.8	0.9	40.8	-1.23	1.9	0.8	16	TH
ZFL49Y	43.5	41.5	42.4	42.6	42.5	-0.19	1.9	0.8	43.5	-0.23	2.0	1.4	16	TH
ZHC6DM	43.6	43.1	43.3	43.2	43.3	-0.01	3.1	0.2 L	43.7	-0.15	2.8	0.4 L	16	LD

Consensus (All Labs) Results																	
Wk Mean	43.04	43.65	43.11	42.72	Month Mean	43.34	Grand Mean				44.06						
Avg SDr	2.78	2.69	2.83	2.85	Avg SD	2.79	Avg SD				2.88						
SD btwn Labs	4.38	4.50	4.27	4.66	SD btwn Labs	4.40	SD btwn Labs				2.60						
Labs Incld	23	24	23	22	SD btwn Wks	2.03	SD btwn Wks				1.94						
Labs Excld	1	0	0	0	Labs Incld	25	Labs Incld				23						
Labs not Rcvd	1	1	2	3													



Containerboard Interlaboratory Testing Program

Analysis 255

Ring Crush (RCT), 26 lb Corrugating Medium - CM92

TAPPI Official Test Method T822

Report #588 (K)

September 2018

Key to Instrument Codes Reported by Participants

EM	Emerson 1200 Series	LC	L&W Crush Tester 48
LD	L&W Crush Tester 248	LZ	L&W Crush Tester (model not specified)
MB	Messmer Buchel K440	TC	TMI Monitor/Compression Tester, 17-37
TH	TMI Compression Tester, Model 17-76	TU	TMI Universal Crush Tester (TMI K440)
TX	TMI Digital Crush Tester (model not specified)	WK	Zwick Z005 Crush Tester
XX	Instrument make/model not specified by lab		



Containerboard Interlaboratory Testing Program
Analysis 261
STFI, 26 lb Corrugating Medium - CM92
TAPPI Official Test Method T826

Report #588 (K)
September 2018

WebCode	Weekly Means				Monthly Results				Cumulative Results					
	Week 1	Week 2	Week 3	Week 4	Mean	CPV	SD	SD Wks	Mean	CPV	SD	SD Wks	Wks	Inst
3BZ443	15.2	14.9	15.3	14.4	14.9	0.89	1.0	0.4	15.1	1.07	1.0	0.3	16	LA
4EVAYK	14.9	15.1	14.5	L 14.7	14.8	0.59	1.2	0.2	14.8	0.38	1.2	0.3	12	LH
4EXY4G	15.0 H	15.7 *	14.7	14.6	15.0	1.01	1.2	0.5	14.9	0.62	1.0	0.4	16	LZ
4FU9HT	15.2	16.0 *	15.6 L	15.4	15.6	2.19 *	0.9	0.3	15.3	1.36	1.0	0.6	16	LA
63GRNT	14.4	14.6	14.7	14.3	14.5	-0.14	0.9	0.2	14.7	0.13	0.9	0.3	16	LA
7F7NN6	14.5	15.1	14.8 L	14.0	14.6	0.14	0.9	0.5	14.5	-0.13	0.9	0.4	16	LB
7VU7BE	15.0	15.1	15.2	15.3	15.1	1.32	1.0	0.1	15.5	1.85	1.0	0.6	16	LH
7XQFPP	14.5	14.3	14.4 L	14.3	14.4	-0.31	0.9	0.1	14.4	-0.42	0.9	0.1 L	16	LZ
94ZRC	25.3 XH	14.6	15.6 H No DATA		18.5	8.56 X	3.6	5.9 H	15.7	2.16 * 2.2	3.2 H	11	XX	
9FEPGG	13.4 X	14.2	14.3	15.4	14.3	-0.45	1.1	0.8 H	14.8	0.35	1.1	0.8	8	LA
9GBZCK	14.7	14.3	14.5 L	14.9	14.6	0.16	1.0	0.3	14.8	0.31	0.9	0.3	16	LA
DFEDMA	14.3	14.1	13.7	13.7	13.9	-1.28	1.1	0.3	14.0	-1.21	1.1	0.2	12	LA
EFWLAH	14.4	14.9	14.8	14.5	14.7	0.27	0.9	0.3	14.7	0.29	0.9	0.3	12	LB
FWFT6F	14.7 L	14.5 L	14.6 L	14.5 L	14.6	0.07	0.4	0.1	14.5	-0.10	1.8	0.1 L	16	LA
G6AKNT	14.2	13.9	14.2	13.5 L	14.0	-1.21	1.0	0.3	14.0	-1.09	1.0	0.4	16	LU
HCK2XE	14.4	14.8	14.7	14.1	14.5	-0.08	1.1	0.3	14.3	-0.51	1.0	0.3	16	LB
HCKBJJ	14.4	14.7	14.8	15.0	14.7	0.44	1.0	0.3	14.6	0.06	0.8	0.4	16	TT
HJ2LWK	14.0	13.7 L	13.3 *	L No DATA	13.7	-1.79	0.8	0.4	13.9	-1.33	1.0	0.4	14	LZ
HV2AWU	14.9	14.5 L	15.2	14.5	14.8	0.53	0.8	0.3	14.9	0.64	1.0	0.4	16	LA
L37F38	13.9	13.8	13.9	13.7	13.8	-1.50	1.2	0.1	13.8	-1.65	1.0	0.3	16	TX
LPC4J3	13.8 *	13.0 X	13.3 *L	13.5	13.4	-2.43 *	0.8	0.3	13.5	-2.26 * 0.8	0.4	8	LH	
N6JZXL	14.7	15.1	14.2	14.1	14.5	-0.01	1.0	0.5	14.6	0.00	0.9	0.4	16	LB
PWN237	14.9	14.9	14.1 L	14.3	14.6	0.06	0.9	0.4	14.3	-0.67	0.9	0.6	15	LA
QJBL97	14.5	14.5	15.1 L	14.1	14.6	0.07	1.0	0.4	14.7	0.11	0.9	0.3	16	LU
UHP2Z6	14.6	14.7	14.8	14.3	14.6	0.19	1.0	0.2	14.3	-0.55	1.0	0.4	16	LB
V929N9	14.7	14.7	15.1	15.1	14.9	0.79	1.1	0.2	14.8	0.45	1.1	0.3	12	TS
ZHC6DM	14.7	14.8	14.8 L	14.7	14.8	0.48	0.8	0.1 L	14.7	0.15	0.8	0.1 L	16	LB
Consensus (All Labs) Results														
Wk Mean	14.58	14.67	14.60	14.44	Month Mean				14.53	Grand Mean				14.59
Avg SDr	1.02	1.01	1.47	0.94	Avg SD				0.97	Avg SD				1.07
SD btwn Labs	0.37	0.52	0.60	0.55	SD btwn Labs				0.46	SD btwn Labs				0.50
Labs Incld	25	26	27	25	SD btwn Wks				0.34	SD btwn Wks				0.73
Labs Excld	2	1	0	0	Labs Incld				26	Labs Incld				27
Labs not Rcvd	0	0	0	2										



Containerboard Interlaboratory Testing Program
Analysis 261
STFI, 26 lb Corrugating Medium - CM92
TAPPI Official Test Method T826

Report #588 (K)
September 2018

Key to Instrument Codes Reported by Participants

LA	L&W Autoline	LB	L&W Model 152
LH	L&W 282	LU	L&W 52 without moisture correction (was 53)
LZ	L&W (model not specified)	TS	TMI Monitor/STFI Compression Tester, 17-33
TT	TMI Short Span Compression, 17-34 (MB K455)	TX	TMI (model not specified)
XX	Instrument make/model not specified by lab		

End of Report